

SPNTrio Command Set v1.5

Table of Contents

SPNTrio General Commands	1
baud (baud rate)	1
desc (description)	2
fanstat (fan status)	2
hwstat (hardware status)	3
id (device id)	3
lcdbl (LCD backlight)	4
mode (Master/Slave mode)	4
monsrc (headphone monitor source)	4
portctl (communication port control flags)	4
rport (remote control port assignment)	5
serial (serial number)	6
temp (Device internal temperature)	6
version (firmware version)	6
SPNTrio Audio Input Commands	9
inact (input activity)	9
incl (input clipping)	10
indel (input delay)	11
ingn (input gain)	11
ingrp (input group)	12
ingrpadd (input group add member)	12
ingrplb (input group label)	13

SPNTrío Command Set v1.5

ingrpm (input group remove member).....	13
iniv (input phase invert)	14
inlb (input channel label)	14
inlv (audio input level).....	15
inlvraw ('raw' audio input level)	15
inmt (input mute)	16
inmttog (input mute toggle)	16
inph (input phantom power).....	17
SPNTrío Input Compressor Commands	19
incpgn (input compressor gain)	19
incpmug (input compressor makeup gain).....	19
incprat (input compressor ratio).....	20
incptc (input compressor time constant).....	20
incpthr (input compressor threshold level)	21
SPNTrío Input EQ Filter Commands.....	23
infil (input EQ filter parameters)	23
infilby (input EQ filter bypass status).....	25
SPNTrío ADFE (Automatic Digital Feedback Elimination) Commands.....	27
adfeen (adfe enable status).....	27
adfefil (adfe filter deployment).....	28
adfelten (adfe auto-lift enable status).....	28
adfelttm (adfe auto-lift time).....	29
SPNTrío Audio Input Noise Reduction Filter (NRF) Commands.....	31

nrfdep (input NRF depth).....	31
nrfen (input NRF enable status).....	32
SPNTrio Matrix Crosspoint Commands.....	33
xpgn (crosspoint gain).....	33
xpgnst (crosspoint gain step change).....	34
xpgrp (input group).....	35
xpgrpadd (crosspoint group add member)	36
xpgrpplb (crosspoint group label).....	37
xpgrprem (crosspoint group remove member)	38
xpiv (crosspoint phase invert status).....	38
xpmode (crosspoint mix mode)	39
xpmt (crosspoint mute)	40
xpmttog (crosspoint mute toggle)	41
SPNTrio Mix Bus Commands	43
mixlb (mix bus label).....	43
mixlv (final mix level)	44
SPNTrio Audio Output Commands.....	45
outattn (output attenuation).....	45
outdel (output delay).....	46
outgn (output gain).....	46
outgrp (output group).....	47
outgrpadd (output group add member)	47
outgrpplb (output group label).....	48

SPNTrío Command Set v1.5

outgrprem (output group remove member).....	48
outlb (output channel label)	49
outlv (output level).....	50
outmt (output mute)	50
outmttog (output mute toggle)	51
outsrc (output signal source).....	51
SPNTrío Output Compressor Commands.....	53
outcpgn (output compressor gain)	53
outcpmug (output compressor makeup gain).....	53
outcprat (output compressor ratio).....	54
outcptc (output compressor time constant).....	54
outcpthr (output compressor threshold level)	55
SPNTrío Output EQ Filter Commands	57
outfil (output EQ filter parameters)	57
outfilby (output EQ filter bypass status).....	59
SPNTrío Output Limiter Commands	61
outlmgn (output limiter gain).....	61
outlmtc (output limiter time constant)	61
outlmthr (output limiter threshold level).....	62
SPNTrío Telephone Interface Commands	63
telautoans (telephone auto answer).....	64
telautodis (telephone auto disconnect).....	64
telcchmlv (telephone connection chime level)	64

telconn (telephone line connection status).....	65
telconnchm (telephone connection chime)	65
teldial (dial telephone number).....	65
teldialspd (telephone dialing speed).....	66
teldtmf (Send single DTMF character).....	66
teldtmflv (telephone DTMF level).....	67
teldtmfmon (DTMF Monitoring Status).....	67
telflash (flash telephone hookswitch)	67
telflashtm (telephone hookswitch flash time).....	67
telnbr (stored telephone number).....	68
telnbrti (stored telephone number title).....	68
telpriv (telephone line privacy).....	69
telprivmod (telephone line privacy mode).....	69
telrchmlv (telephone ring chime level).....	69
telredial (redial last number).....	70
telringchm (telephone ring chime).....	70
telringing (telephone ringing status)	70
SPNTrío Codec Interface Commands.....	73
codcchmlv (codec connection chime level).....	73
codconn (codec connection status)	73
codconnchm (codec connection chime).....	74
codpriv (codec privacy)	74
codprivmod (codec privacy mode)	75

SPNTrío Acoustic Echo Cancellor (AEC) Commands.....	77
aecavg (acoustic echo canceller averaging).....	77
aecen (acoustic echo canceller enable).....	78
aecerl (acoustic echo canceller ERL).....	78
aecerle (acoustic echo canceller ERLE).....	78
aecenr (acoustic echo canceller ENR).....	78
aeref (acoustic echo canceller reference source).....	79
aecsigt (acoustic echo canceller send signal source).....	79
SPNTrío Line Echo Cancellor (LEC) Commands.....	81
lecavg (acoustic echo canceller averaging).....	81
lecen (line echo canceller enable).....	81
lecerl (line echo canceller ERL).....	82
lecerle (line echo canceller ERLE).....	82
lecenr (line echo canceller ENR).....	82
SPNTrío Programmable I/O Commands.....	85
prgint (programmable input state).....	85
prgintdef (programmable input definition).....	86
prgintundef (programmable input un-definition).....	89
prgout (programmable output state).....	89
prgoutdef (programmable output definition).....	90
prgoutht (programmable output channel activity hold time).....	92
prgoutiv (programmable output invert).....	92
prgoutpl (programmable output pulse).....	93

prgoutqt (programmable output channel activity qualification time) 93

vprgin (virtual programmable input state) 94

vprgindef (virtual programmable input definition)..... 94

vprginundef (virtual programmable input un-definition) 97

SPNTRio Rear Panel Control Commands 99

 rpingn (rear panel audio input gain)..... 99

 rpingnmin (rear panel audio input gain minimum)..... 100

 rpingnpre (rear panel audio input gain preset) 101

 rpingnr (rear panel input gain ramp)..... 101

 rpingnst (rear panel input gain step change)..... 102

 rpoutgn (rear panel audio output gain)..... 103

 rpoutgnmin (rear panel audio output gain minimum)..... 103

 rpoutgnpre (rear panel audio output gain preset) 104

 rpoutgnr (rear panel output gain ramp)..... 104

 rpoutgnst (rear panel output gain step change)..... 105

 rprest (restore rear panel settings)..... 106

 rpsave (save rear panel settings) 106

 rpxpgn (rear panel crosspoint gain) 106

 rpxpgnr (rear panel crosspoint gain ramp)..... 108

 rpxpgnst (rear panel crosspoint gain step change)..... 108

SPNTRio Macro Management & Related Commands 111

 exit (exit a macro) 111

 macro (macro command) 112

SPNTrío Command Set v1.5

macroclr (macro clear)	112
macroti (macro title)	113
macvrport (macro verbose response port).....	113
ropmac ("run on powerup" macro)	114
run (run a macro)	114
sendcmd (send command to ASPEN device)	114
sendstr (send string to port).....	116
sleep (suspend Macro execution).....	117
SPNTrío Preset Management Commands	119
actpre (active preset).....	119
default (default settings)	120
defpre (default preset).....	120
predesc (preset description)	120
premsk (default preset mask).....	121
preror (preset "run on recall" macro)	122
recall (recall preset).....	122
store (store settings to preset)	122
SPNTrío Signal Generator Commands	125
pnlv (pink noise level)	125
swpen (swept sine sweep enable)	125
swplv (swept sine level).....	126
swpset (swept sine generator settings).....	126
tonefrq (test tone frequency).....	127

tonelv (test tone level).....	127
wnlv (white noise level).....	128
SPNTrio Real Time Clock, Timer & Alarm Commands.....	129
alarm (alarm definition)	129
alarmen (alarm enable)	130
date (date settings)	130
time (time settings)	131
timer (timer settings).....	131
timeren (timer enable).....	132
SPNTrio Event Commands.....	133
eventmac (event macro).....	133
eventen (event enable status)	134
SPNTrio Network Setup Commands	137
defgate (default gateway).....	137
dhcpen (DHCP enable)	137
httpport (HTTP port number).....	138
ipaddr (IP address)	138
macaddr (MAC address).....	138
netmask (network mask).....	139
tcpport (TCP port number).....	139
SPNTrio ASPEN System Commands.....	141
aspen (ASPEN device query).....	141
aspenaddr (ASPEN default address).....	141

SPNTrio Command Set v1.5

aspenct (ASPEN device count).....	142
aspenum (ASPEN device enumerate).....	142

SPNTrio General Commands

baud	Serial port baud rate
desc	Device description string
fanstat	Fan status
hwstat	Hardware status
id	Device id string
lcdbl	LCD backlight
mode	Master/Slave mode
monsrc	Headphone monitor source
portctl	Communication port control flags
rport	Remote control port assignment
serial	Device serial number string
temp	Device internal temperature
version	Device firmware version

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK !ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

baud (baud rate)

This command may be used as a query to determine the baud rate setting for the serial port. It may also be used as an update to set the baud rate. The data is an integer type. The following values are allowed:

- 9600
- 19200

- 38400
- 57600
- 115200

Examples:

	REQUEST	RESPONSE
QUERY	<code>baud?<CR></code>	<code>OK 57600<CRLF></code>
UPDATE	<code>baud=57600<CR></code>	<code>OK<CRLF></code>

desc (description)

This command may be used as a query to read the user defined device description. It may also be used as an update to set the description. The data is a string type, with a limit of 32 characters.

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `desc` command to read or write a string that already contains double-quote characters, for example: The "Hula" Room. The solution is to **escape** the double quotes within The "Hula" Room so that it can be passed as a string argument for the `desc` command. This is done by preceding the double-quote characters with a **backslash** character like this: The \"Hula\" Room. Now it can be passed as a string argument to the `desc` command: `desc="The \"Hula\" Room"`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so `"foo\bar"` would become `"foo\\bar"`. If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form `\xHH` where `HH` is any 2-digit hexadecimal number. The special escaped character forms `\r` (carriage return), `\n` (new line) and `\t` (tab) are also recognized.

Examples:

	REQUEST	RESPONSE
QUERY	<code>desc?<CR></code>	<code>OK "Aloha Room East"<CRLF></code>
UPDATE	<code>desc="Courtroom #12"<CR></code>	<code>OK<CRLF></code>

fanstat (fan status)

This command may be used as a query to determine the status of the cooling fan. The data type is integer, and the value is a code representing one of the following states:

- **0** means that the fan is running, and temperature is within limits
- **1** means that the fan was not detected on powerup or failed its startup test
- **8** means that the fan is not running, but temperature is within limits

Example:

	REQUEST	RESPONSE
QUERY	<code>fanstat?<CR></code>	<code>OK 0<CRLF></code>

hwstat (hardware status)

This command may be used as a query to determine the status of device hardware. The data type is integer, and the value is a code representing one of the following states:

- **0** means normal operation
- **1** means that an over-temperature condition has been detected
- **2** means that the fan was not detected on powerup or failed its startup test
- **3** means that the real time clock (RTC) back-up battery is low
- **4** means that a power amplifier fault has been detected

Example:

	REQUEST	RESPONSE
QUERY	<code>hwstat?<CR></code>	<code>OK 0<CRLF></code>

id (device id)

This command may be used as a query to read the device id string. This is the "name" of the device used by the ASPEN protocol and is always "SPNTrio". The data is a string type.

Example:

	REQUEST	RESPONSE
QUERY	<code>id?<CR></code>	<code>OK "SPNTrio"<CRLF></code>

lcdbl (LCD backlight)

This command may be used as a query to read the LCD backlight on/off status, or as an update to set the status. The data type is integer, either "1" meaning that the LCD backlight is on, or "0" meaning that it is not.

Examples:

	REQUEST	RESPONSE
QUERY	lcdbl?<CR>	OK 1<CRLF>
UPDATE	lcdbl=0<CR>	OK<CRLF>

mode (Master/Slave mode)

This command may be used as a query to determine if the SPNTrio is operating as a **Master** or as a **Slave**. The data type is integer, either "1" meaning Master mode, or "0" meaning Slave mode.

Example:

	REQUEST	RESPONSE
QUERY	mode?<CR>	OK 0<CRLF>

monsrc (headphone monitor source)

This command may be used as a query to read the headphone monitor source, or as an update to set the source. The data type is integer, in the range 1 to 48, representing the address of the mix bus to be monitored.

Examples:

	REQUEST	RESPONSE
QUERY	monsrc?<CR>	OK 1<CRLF>
UPDATE	monsrc=10<CR>	OK<CRLF>

portctl (communication port control flags)

This command may be used as a query to read the port control flags, or as an update to set them. The communication port is specified by using the address syntax. Addresses must be in the range 0 to 4, representing the one of the following:

- **0** - USB port
- **1** - RS232 port
- **2** - TCP port 1
- **3** - TCP port 2 (*firmware versions 1.4.0 and higher*)
- **4** - HTTP port (*firmware versions 1.4.0 and higher*)

The data type is integer, in the range 0 to 3. The value is a code representing the control settings for the communication port:

Code	Port Setting
0	Port is disabled
1	Port is receive only
2	Port is send only
3	Port is send/receive

If the port address is wildcarded, then the data type is an array of integer of size 4. By default, all communication ports are send/receive (full duplex) but in some advanced 3rd party control scenarios a port may need to be set otherwise. **Note: to preserve the ability to communicate with the device, changes to the USB port setting have no effect, the default of send/receive is always in force.**

Examples:

	REQUEST	RESPONSE
QUERY	<code>portctl(1)?<CR></code>	<code>OK 3<CRLF></code>
QUERY	<code>portctl(*)?<CR></code>	<code>OK {3,3,3,3}<CRLF></code>
UPDATE	<code>portctl(1)=2<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>portctl(*)={3,3,3,3}<CR></code>	<code>OK<CRLF></code>

report (remote control port assignment)

This command may be used as a query to read the remote control port assignment setting. It may also be used as an update to set the assignment. The remote control port is specified by using the address syntax. Addresses must be in the range 1 to 2. The data is an integer type, specifying which conferencing interface will be controlled by the remote control port. The following values are allowed:

- 1 - TEL interface
- 2 - CODEC1 interface
- 3 - CODEC2 interface

Examples:

	REQUEST	RESPONSE
QUERY	<code>rcport(1)?<CR></code>	<code>OK 1<CRLF></code>
UPDATE	<code>rcport(2)=2<CR></code>	<code>OK<CRLF></code>

serial (serial number)

This command may be used as a query to read the device serial number. The data is a string type.

Example:

	REQUEST	RESPONSE
QUERY	<code>serial?<CR></code>	<code>OK "5000101"<CRLF></code>

temp (Device internal temperature)

This command may be used as a query to read the internal temperature of the SPNTrio. The data type is integer, in degrees C.

Example:

	REQUEST	RESPONSE
QUERY	<code>temp?<CR></code>	<code>OK 32<CRLF></code>

version (firmware version)

This command may be used as a query to read the device firmware version number. The data is a string type.

Example:

	REQUEST	RESPONSE
QUERY	<code>version?<CR></code>	<code>OK "1.0.1"<CRLF></code>

SPNTrio Audio Input Commands

inact	Audio input activity status
incl	Audio input clipping status
indel	Audio input delay
ingn	Audio input gain
ingrp	Audio input group
ingrpadd	Audio input group add member
ingrplb	Audio input group label
ingrpm	Audio input group remove member
iniv	Audio input phase invert status
inlb	Audio input channel label
inlv	Audio input level (dBU RMS)
inlvraw	'Raw' audio input level (dBU RMS)
inmt	Audio input mute status
inmttog	Audio input mute toggle
inph	Audio input phantom power status

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK !ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

inact (input activity)

This command may be used to determine if an audio input channel is active, meaning that it has less than 3 dB of attenuation assigned to it by the automixing algorithm for some particular mix bus channel. Two forms exist for this command:

- Query for input channel activity on ANY mix bus** - The input channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is integer, either "1" meaning that the channel is active on **at least one** of the mix buses or "0" meaning that it is not. If the channel address is wildcarded, then the data type is an array of integer of size 12.
- Query for input channel activity on a SPECIFIC mix bus** - An mix bus channel/input channel pair is specified by using the 2 dimensional address syntax. Addresses for the first dimension (mix bus) must be in the range 1 to 48. Addresses for the second dimension (input channel) must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is integer, either "1" meaning that the channel is active on **the specified** mix bus, or "0" meaning that it is not. If the input channel address is wildcarded, then the data type is an array of integer of size 12. The mix bus address may not be wildcarded.

Examples:

	REQUEST	RESPONSE
QUERY	<code>inact(5)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>inact(*)?<CR></code>	<code>OK {0,1,0,...,0,0,0}<CRLF></code>
QUERY	<code>inact(5,5)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>inact(5,*)?<CR></code>	<code>OK {0,1,0,...,0,0,0}<CRLF></code>

incl (input clipping)

This command may be used to determine if an audio input channel is clipping, meaning that it is being overdriven by the input signal to the point of saturating the analog to digital converter. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is integer, either "1" meaning that the channel is in clipping, or "0" meaning that it is not. If the channel address is wildcarded, then the data type is an array of integer of size 12.

Examples:

	REQUEST	RESPONSE
QUERY	<code>incl(7)?<CR></code>	<code>OK 1<CRLF></code>
QUERY	<code>incl(*)?<CR></code>	<code>OK {0,0,0,...,0,0,0}<CRLF></code>

indel (input delay)

This command may be used as a query to read the input delay, or as an update to set the delay. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 8 (applies to mic/line inputs 1 - 8 only, conferencing inputs 9 - 12 and test signal inputs 13 - 16 are excluded). The data type is integer, in the range 0 to 200, representing the time delay in one half millisecond increments. If the channel address is wildcarded, then the data type is an array of integer of size 8. In this case the value **9999** may be used in an update to indicate that a particular input delay is to **remain unchanged** by the command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>indel(1)?<CR></code>	<code>OK 42<CRLF></code>
QUERY	<code>indel(*)?<CR></code>	<code>OK {0,40,0,...,0,0,0}<CRLF></code>
UPDATE	<code>indel(5)=30<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>indel(*)={12,0,0,...,8,9999,9999}<CR></code>	<code>OK<CRLF></code>

ingn (input gain)

This command may be used as a query to read the input channel gain, or as an update to set the gain. The input channel or [input group](#) is specified by using the address syntax. Addresses for input channels must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for input groups must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The data type is integer, representing the gain in dB. For mic/line inputs 1 - 8 the range is -10 to +60 dB, for conferencing inputs 9 - 12 the range is -20 to +20 dB, and for test signal inputs 13 - 16 the range is -70 to +20 dB. If the channel address is wildcarded, then the data type is an array of integer of size 16. In this case the value **99** may be used in an update to indicate that a particular input gain is to **remain unchanged** by the command. An input group is updated with a single gain value which is applied to all members of the group. The response to a input group query or *verbose* update is an array of integer of size 16, containing the gain values for *all* input channels, not just those in the group.

Examples:

	REQUEST	RESPONSE
QUERY	<code>ingn(1)?<CR></code>	<code>OK 42<CRLF></code>
QUERY	<code>ingn(101)?<CR></code>	<code>OK {40,40,50,...,0,0,0}<CRLF></code>
QUERY	<code>ingn(*)?<CR></code>	<code>OK {40,40,50,...,0,0,0}<CRLF></code>

UPDATE	<code>ingn(5)=30<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>ingn(101)=30<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>ingn(*)={40,40,50,...,0,99,99}<CR></code>	<code>OK<CRLF></code>

ingrp (input group)

This command is available in firmware versions 1.5.0 and higher.

This command may be used as a query to read the input channel group definition, or as an update to set the group definition. The input group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a variable length. The values contained in the array represent the input channels which are *members* of the group, in the range 1 to 16 (mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16 are included). The special array **{0}** indicates an *empty* group, one without members, and may be used in an update to clear a previously defined group. Once defined, the address of a group may be substituted for the address of an individual channel in gain control and mute commands. For example: `rpinmt(101)=1` mutes all input channels which are members of group 101. An error will result if the address of an *empty* group is used in a command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>ingrp(102)?<CR></code>	<code>OK {1,2,3,5,7}<CRLF></code>
QUERY	<code>ingrp(101)?<CR></code>	<code>OK {0}<CRLF></code> (group 101 is empty)
UPDATE	<code>ingrp(105)={1,2,3}<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>ingrp(105)={0}<CR></code> (empty group as argument to clear group 105)	<code>OK<CRLF></code>

ingrpadd (input group add member)

This command is available in firmware versions 1.5.9 and higher.

This command may be used as an update to *add* one or more input channels to a group definition. The input group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a variable length. The values contained in the array represent the input channels which are added to the group, in the range 1 to 16 (mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16 are included).

Examples:

	REQUEST	RESPONSE
UPDATE	<code>ingrpadd(105)={1,2,3}<CR></code>	<code>OK<CRLF></code>

ingrplb (input group label)

This command is available in firmware versions 1.5.0 and higher.

This command may be used as a query to read the input group text label, or as an update to set the label. The input group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is string, with a limit of 15 characters.

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `ingrplb` command to read or write a string that already contains double-quote characters, for example: The "Hula" Room. The solution is to **escape** the double quotes within The "Hula" Room so that it can be passed as a string argument for the `ingrplb` command. This is done by preceding the double-quote characters with a **backslash** character like this: The \`"Hula"` Room. Now it can be passed as a string argument to the `ingrplb` command: `ingrplb(1)="The \"Hula" Room"`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so `"foo\bar"` would become `"foo\\bar"`. If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form `\xHH` where `HH` is any 2-digit hexadecimal number. The special escaped character forms `\r` (carriage return), `\n` (new line) and `\t` (tab) are also recognized..

Examples:

	REQUEST	RESPONSE
QUERY	<code>ingrplb(101)?<CR></code>	<code>OK "Media Feeds"<CRLF></code>
UPDATE	<code>ingrplb(102)="West Room"<CR></code>	<code>OK<CRLF></code>

ingrpem (input group remove member)

This command is available in firmware versions 1.5.9 and higher.

This command may be used as an update to *remove* one or more input channels from a group definition. The input group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a variable length.

The values contained in the array represent the input channels which are removed from the group, in the range 1 to 16 (mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16 are included).

Examples:

	REQUEST	RESPONSE
UPDATE	<code>ingrprem(105)={1}<CR></code>	<code>OK<CRLF></code>

iniv (input phase invert)

This command may be used as a query to read the input channel phase invert status, or as an update to set the status. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). The data type is integer, either "1" meaning that the input has the audio phase inverted (shifted by 180 degrees), or "0" meaning that it is not. If the channel address is wildcarded, then the data type is an array of integer of size 16. In this case the value **99** may be used in an update to indicate that a particular input invert state is to **remain unchanged** by the command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>iniv(3)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>iniv(*)?<CR></code>	<code>OK {0,1,0,...,0,0,0}<CRLF></code>
UPDATE	<code>iniv(2)=1<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>iniv(*)={0,0,1,...,99,99,99}<CR></code>	<code>OK<CRLF></code>

inlb (input channel label)

This command may be used as a query to read the input channel text label, or as an update to set the label. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 8 (applies to mic/line inputs 1 - 8 only, conferencing inputs 9 - 12 and test signal inputs 13 - 16 are excluded). The data type is string, with a limit of 15 characters.

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `inlb` command to read or write a string that already contains double-quote characters, for example: The "Hula" Room. The solution is to **escape** the double quotes within The "Hula" Room so that it can be passed as a

string argument for the `inlb` command. This is done by preceding the double-quote characters with a **backslash** character like this: `The \"Hula\" Room`. Now it can be passed as a string argument to the `inlb` command: `inlb(1)=\"The \"Hula\" Room\"`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so `foo\bar` would become `foo\\bar`. If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form `\xHH` where `HH` is any 2-digit hexadecimal number. The special escaped character forms `\r` (carriage return), `\n` (new line) and `\t` (tab) are also recognized..

Examples:

	REQUEST	RESPONSE
QUERY	<code>inlb(1)?<CR></code>	<code>OK \"Chairman\"<CRLF></code>
UPDATE	<code>inlb(2)=\"#3 West\"<CR></code>	<code>OK<CRLF></code>

inlv (audio input level)

This command may be used as a query to read the input channel level. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). The data type is integer, in the range -70 to +20, representing the RMS audio level in dBu as measured at the input to the auto mixing matrix, after DSP processing is applied. If the channel address is wildcarded, then the data type is an array of integer of size 16.

Examples:

	REQUEST	RESPONSE
QUERY	<code>inlv(1)?<CR></code>	<code>OK -23<CRLF></code>
QUERY	<code>inlv(*)?<CR></code>	<code>OK {-2,4,-10,...,-53,-71,-60}<CRLF></code>

inlvraw ('raw' audio input level)

This command may be used as a query to read the input channel 'raw' level. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). The data type is integer, in the range -70 to +20, representing the RMS audio level in dBu as measured after the input preamplifier but before DSP is applied. If the channel address is wildcarded, then the data type is an array of integer of size 16.

Examples:

	REQUEST	RESPONSE
QUERY	<code>inlvraw(1)?<CR></code>	<code>OK -23<CRLF></code>
QUERY	<code>inlvraw(*)?<CR></code>	<code>OK {-2,4,-10,...,-53,-71,-60}<CRLF></code>

inmt (input mute)

This command may be used as a query to read the input channel mute status, or as an update to set the status. The input channel or [input group](#) is specified by using the address syntax. Addresses for input channels must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for input groups must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The data type is integer, either "1" meaning that the input is muted, or "0" meaning that it is not. If the channel address is wildcarded, then the data type is an array of integer of size 16. In this case the value **99** may be used in an update to indicate that a particular input mute is to **remain unchanged** by the command. An input group is updated with a single mute value which is applied to all members of the group. The response to a input group query or *verbose* update is an array of integer of size 16, containing the mute values for *all* input channels, not just those in the group.

Examples:

	REQUEST	RESPONSE
QUERY	<code>inmt(3)?<CR></code>	<code>OK 1<CRLF></code>
QUERY	<code>inmt(101)?<CR></code>	<code>OK {0,0,0,...,0,1,0}<CRLF></code>
QUERY	<code>inmt(*)?<CR></code>	<code>OK {0,0,0,...,0,1,0}<CRLF></code>
UPDATE	<code>inmt(2)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>inmt(101)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>inmt(*)={0,0,0,...,99,99,0}<CR></code>	<code>OK<CRLF></code>

inmttog (input mute toggle)

This command may be used as a simple comand to toggle the input channel mute status. The input channel or [input group](#) is specified by using the address syntax. Addresses for input channels must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for input groups must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The response to a input

group *verbose* command is an array of integer of size 16, containing the mute values for *all* input channels, not just those in the group.

Examples:

	REQUEST	RESPONSE
COMMAND	<code>inmttog(4)<CR></code>	<code>OK<CRLF></code>
COMMAND	<code>inmttog(101)<CR></code>	<code>OK<CRLF></code>

inph (input phantom power)

This command may be used as a query to read the input phantom power status, or as an update to set the status. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 8 (applies to mic/line inputs 1 - 8 only, conferencing inputs 9 - 12 and test signal inputs 13 - 16 are excluded). The data type is integer, either "1" meaning that phantom power is enabled, or "0" meaning that it is not. If the channel address is wildcarded, then the data type is an array of integer of size 8.

Examples:

	REQUEST	RESPONSE
QUERY	<code>inph(3)?<CR></code>	<code>OK 1<CRLF></code>
QUERY	<code>inph(*)?<CR></code>	<code>OK {1,1,1,...,0,0,0}<CRLF></code>
UPDATE	<code>inph(4)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>inph(*)={0,1,1,...,1,1,1}<CR></code>	<code>OK<CRLF></code>

SPNTrio Input Compressor Commands

incpgn	Input compressor gain
incpmug	Input compressor makeup gain
incprat	Input compressor ratio
incptc	Input compressor time constant
incpthr	Input compressor threshold level

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

incpgn (input compressor gain)

This command may be used as a query to read the compressor gain. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is integer, representing the gain in dB, which is always a negative value if the compressor is active, or zero. If the channel address is wildcarded, then the data type is an array of integer of size 12.

Example:

	REQUEST	RESPONSE
QUERY	<code>incpgn(1)?<CR></code>	<code>OK -5<CRLF></code>
QUERY	<code>incpgn(*)?<CR></code>	<code>OK {-5,0,0,0}<CRLF></code>

incpmug (input compressor makeup gain)

This command may be used as a query to read the makeup gain, or as an update to set the makeup gain. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is integer, in the range 0 to 30, representing the gain in dB. If the channel address is wildcarded, then the data type is an array of integer of size 12. The allowable upper limit of makeup gain values is dynamically determined by the threshold and ratio settings of the compressor, and may be less than the absolute maximum of 30 dB. If the value sent in an update request exceeds this upper limit, it will be forced to the limit value.

Examples:

	REQUEST	RESPONSE
QUERY	<code>incpmug(1)?<CR></code>	<code>OK 5<CRLF></code>
QUERY	<code>incpmug(*)?<CR></code>	<code>OK {3,3,3,0}<CRLF></code>
UPDATE	<code>incpmug(1)=10<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>incpmug(*)={6,6,6,0}<CR></code>	<code>OK<CRLF></code>

incprat (input compressor ratio)

This command may be used as a query to read the ratio, or as an update to set the ratio. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is float, in the range 0.0 to 50.0, representing the compression ratio, with 0.0 meaning that the compressor is "off". If the channel address is wildcarded, then the data type is an array of float of size 12.

Examples:

	REQUEST	RESPONSE
QUERY	<code>incprat(1)?<CR></code>	<code>OK 4.5<CRLF></code>
QUERY	<code>incprat(*)?<CR></code>	<code>OK {3.0,3.0,0.0,0.0}<CRLF></code>
UPDATE	<code>incprat(1)=5.0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>incprat(*)={3.0,3.0,0.0,0.0}<CR></code>	<code>OK<CRLF></code>

incptc (input compressor time constant)

This command may be used as a query to read the time constant, or as an update to set the time constant. The input channel is specified by using the address syntax. Addresses must be in the

range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is integer, in the range 5 to 10000, representing the time in one tenth millisecond increments. If the channel address is wildcarded, then the data type is an array of integer of size 12.

Examples:

	REQUEST	RESPONSE
QUERY	<code>incptc(1)?<CR></code>	<code>OK 1000<CRLF></code>
QUERY	<code>incptc(*)?<CR></code>	<code>OK {2000,2000,2000,2000}<CRLF></code>
UPDATE	<code>incptc(1)=2000<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>incptc(*)={2000,2000,2000,2000}<CR></code>	<code>OK<CRLF></code>

incpthr (input compressor threshold level)

This command may be used as a query to read the threshold, or as an update to set the threshold. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is integer, in the range -80 to +20, representing the level in dBu. If the channel address is wildcarded, then the data type is an array of integer of size 12.

Examples:

	REQUEST	RESPONSE
QUERY	<code>incpthr(1)?<CR></code>	<code>OK -3<CRLF></code>
QUERY	<code>incpthr(*)?<CR></code>	<code>OK {-3,0,0,0}<CRLF></code>
UPDATE	<code>incpthr(1)=-20<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>incpthr(*)={-3,0,0,0}<CR></code>	<code>OK<CRLF></code>

SPNTrio Input EQ Filter Commands

infil	Input EQ filter definition
infilby	Input EQ filter bypass status

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

infil (input EQ filter parameters)

This command may be used as a query to read an input EQ filter definition, or as an update to modify the definition. The filter is specified by using the 2 dimensional address syntax. Addresses for the first dimension (input channel) must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). Addresses for the second dimension (EQ filter stage) must be in the range 1 to 4. Wildcards may **not** be used for either dimension. The data type is array of integer, with a fixed length of 6. The values contained in the array represent the 6 parameters of the EQ filter, using the following scheme:

- The **first** integer is a code that specifies the **type** of the filter. It may be in the range 0 to 5, with the following meanings:

Code	Filter Type
0	All Pass (no filtering)
1	Low Pass
2	High Pass
3	Low Shelving
4	High Shelving
5	Parametric

- The **second** integer is a code that specifies the **slope** of the filter. It may be in the range 1 to 4, with the following meanings:

Code	Filter Slope
1	6dB per octave (1st order)
2	12dB per octave (2nd order)
3	18dB per octave (3rd order)
4	24dB per octave (4th order)

- **RULE:** The filter order parameter applies to the low/high shelving and low/high pass filter types only. Use 0 (zero) as a placeholder for the remaining filter types.
- The **third** integer is a code that specifies the **approximation** of the filter. It may be in the range 0 to 2, with the following meanings:

Code	Filter Approximation
0	Butterworth
1	Bessel
2	Linkwitz-Riley

- **RULE:** The filter approximation parameter applies to the low/high shelving and low/high pass filter types **only**. Use 0 (zero) as a placeholder for the remaining filter types.
 - **RULE:** The Linkwitz-Riley filter approximation may be applied to the low/high pass filter types **only**, with the further limitation that these filters have slopes of 12dB or 24dB per octave **only** (2nd or 4th order filters only).
- The **fourth** integer specifies the **corner frequency** of the filter in Hz. It may be in the range 20 to 20000.
 - **RULE:** The filter frequency parameter applies to all filters **except** the all pass filter. Use 0 (zero) as a placeholder for the all pass filter type.
- The **fifth** integer specifies the **gain** (boost/cut) of the filter in dB. It may be in the range -30 to 30.
 - **RULE:** The filter gain parameter applies to the low/high shelving and parametric filter types **only**. Use 0 (zero) as a placeholder for the remaining filter types.
- The **sixth** integer specifies the **bandwidth** of the filter in hundredths of an octave (octaves / 100). It may be in the range 5 to 1000.
 - **RULE:** The filter bandwidth parameter applies to the parametric filter type **only**. Use 0 (zero) as a placeholder for the remaining filter types.

Examples:

	REQUEST	RESPONSE
QUERY	<code>infil(5,1)?<CR></code>	<code>OK {5,1,0,1000,3,100}<CRLF></code>
UPDATE	<code>infil(6,1)={5,1,0,1000,3,100}<CR></code>	<code>OK<CRLF></code>

infilby (input EQ filter bypass status)

This command may be used as a query to read the EQ filter bypass status, or as an update to set the status. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is integer, either "1" meaning that EQ filtering on the input is bypassed (all stages bypassed), or "0" meaning that it is not bypassed (all stages applied). If the channel address is wildcarded, then the data type is an array of integer of size 12.

Examples:

	REQUEST	RESPONSE
QUERY	<code>infilby(1)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>infilby(*)?<CR></code>	<code>OK {0,0,0,0}<CRLF></code>
UPDATE	<code>infilby(1)=1<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>infilby(*)={1,1,1,0}<CR></code>	<code>OK<CRLF></code>

SPNTrío ADFE (Automatic Digital Feedback Elimination) Commands

adfeen	ADFE enable status
adfefil	ADFE filter deployment
adfelten	ADFE auto-lift enable status
adfelttm	ADFE auto-lift time

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

adfeen (adfe enable status)

This command may be used as a query to read the adfe enable status, or as an update to set the status. The audio input channel is specified by using the address syntax. Addresses must be in the range 1 to 8 (applies to mic/line inputs 1 - 8 only, conferencing inputs 9 - 12 and test signal inputs 13 - 16 are excluded). The data type is integer, either "1" meaning that the adfe feature is enabled, or "0" meaning that it is not. If the channel address is wildcarded, then the data type is an array of integer of size 8.

Examples:

	REQUEST	RESPONSE
QUERY	<code>adfeen(2)?<CR></code>	<code>OK 1<CRLF></code>
QUERY	<code>adfeen(*)?<CR></code>	<code>OK OK {1,1,1,...,1,1,1}<CRLF></code>
UPDATE	<code>adfeen(7)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>adfeen(*)={1,1,1,...,1,1,1}<CR></code>	<code>OK<CRLF></code>

adfefil (adfe filter deployment)

This command may be used as a query to read the adfe filter deployment status, or as an update to deploy an adfe filter. The input channel and filter index are specified by using the 2 dimensional address syntax. Addresses for the first dimension (input channel) must be in the range 1 to 8 (applies to mic/line inputs 1 - 8 only, conferencing inputs 9 - 12 and test signal inputs 13 - 16 are excluded). Addresses for the second dimension (adfe filter index) must be in the range 1 to 8. The data type is integer, unless the adfe filter index is wildcarded, in which case the data type is an array of integer of size 8. This is allowed for queries only. The data values are in the range 20 to 20000, where 0 means that no filter is deployed, and the others represent the center frequency of the adfe filter in Hz.

Examples:

	REQUEST	RESPONSE
QUERY	<code>adfefil(3,2)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>adfefil(5,*)?<CR></code>	<code>OK {12,0,0,0,0,0,0,0}<CRLF></code>
UPDATE	<code>adfefil(4,1)=15<CR></code>	<code>OK<CRLF></code>

adfelten (adfe auto-lift enable status)

This command may be used as a query to read the adfe auto-lift enable status, or as an update to set the status. The audio input channel is specified by using the address syntax. Addresses must be in the range 1 to 8 (applies to mic/line inputs 1 - 8 only, conferencing inputs 9 - 12 and test signal inputs 13 - 16 are excluded). The data type is integer, either "1" meaning that the adfe auto-lift feature is enabled, or "0" meaning that it is not. If the channel address is wildcarded, then the data type is an array of integer of size 8.

Examples:

	REQUEST	RESPONSE
QUERY	<code>adfelten(2)?<CR></code>	<code>OK 1<CRLF></code>
QUERY	<code>adfelten(*)?<CR></code>	<code>OK {1,1,1,...,1,1,1}<CRLF></code>
UPDATE	<code>adfelten(7)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>adfelten(*)={1,1,1,...,1,1,1}<CR></code>	<code>OK<CRLF></code>

adfelttm (adfe auto-lift time)

This command may be used as a query to read the adfe auto-lift time, or as an update to set the auto-lift time. The audio input channel is specified by using the address syntax. Addresses must be in the range 1 to 8 (applies to mic/line inputs 1 - 8 only, conferencing inputs 9 - 12 and test signal inputs 13 - 16 are excluded). The data type is integer, in the range 10 to 120, representing the auto-lift time in minutes. If the channel address is wildcarded, then the data type is an array of integer of size 8.

Examples:

	REQUEST	RESPONSE
QUERY	<code>adfelttm(2)?<CR></code>	<code>OK 10<CRLF></code>
QUERY	<code>adfelttm(*)?<CR></code>	<code>OK {30,30,30,...,30,30,30}<CRLF></code>
UPDATE	<code>adfelttm(7)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>adfelttm(*)={30,30,30,...,30,30,30}<CR></code>	<code>OK<CRLF></code>

SPNTrio Audio

Input Noise Reduction Filter (NRF)

Commands

nrfdep	Audio input NRF depth
nrfe	Audio input NRF enable status

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

nrfdep (input NRF depth)

This command may be used as a query to read the input channel NRF depth, or as an update to set the depth. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is integer, in the range 6 to 36, representing the depth (attenuation) of the noise reduction filter in dB. If the channel address is wildcarded, then the data type is an array of integer of size 12. In this case the value **99** may be used in an update to indicate that a particular input gain is to **remain unchanged** by the command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>nrfdep(1)?<CR></code>	<code>OK 24<CRLF></code>
QUERY	<code>nrfdep(*)?<CR></code>	<code>OK {24,24,24,24}<CRLF></code>
UPDATE	<code>nrfdep(1)=20<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>nrfdep(*)={30,30,30,99}<CR></code>	<code>OK<CRLF></code>

nrfen (input NRF enable status)

This command may be used as a query to read the input channel NRF enable status, or as an update to set the status. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to mic/line inputs 1 - 8 and conferencing inputs 9 - 12 only, test signal inputs 13 - 16 are excluded). The data type is integer, either "1" meaning that noise reduction filtering on the input is enabled, or "0" meaning that it is disabled. If the channel address is wildcarded, then the data type is an array of integer of size 12. In this case the value **99** may be used in an update to indicate that a particular input invert state is to **remain unchanged** by the command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>nrfen(3)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>nrfen(*)?<CR></code>	<code>OK {0,1,0,0}<CRLF></code>
UPDATE	<code>nrfen(2)=1<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>nrfen(*)={0,0,1,99}<CR></code>	<code>OK<CRLF></code>

SPNTrio Matrix Crosspoint Commands

xpgn	Matrix crosspoint gain
xpgnst	Matrix crosspoint gain step
xpgrp	Matrix crosspoint group
xpgrpadd	Matrix crosspoint group add member
xpgrpplb	Matrix crosspoint group label
xpgrprem	Matrix crosspoint group remove member
xpiv	Matrix crosspoint phase invert status
xpmode	Matrix crosspoint mix mode
xpmt	Matrix crosspoint mute status
xpmttog	Matrix crosspoint mute toggle

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

xpgn (crosspoint gain)

This command may be used as a query to read the matrix crosspoint gain, or as an update to set the gain. The crosspoint is specified by using the 2 dimensional address syntax, or a [crosspoint group](#) can be specified using a 1 dimensional address.

In the 2 dimensional case, addresses for the first dimension (input channel) must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for the second dimension (mix bus) must be in the range 1 to 48, or wildcarded.

If the input is wildcarded, then the command applies to the entire *column* of the matrix associated with the specified mix bus. If the output is wildcarded, then the command applies to the entire *row* of the matrix associated with the specified input channel. It is also possible to specify a subset of either the first dimension (input channels) or the second dimension (mix

buses), **but not both**, using the range operator ':' (colon character). For example, address (3:5,7) refers to 3 crosspoints: (3,7), (4,7) and (5,7). Address (5,7:10) refers to 4 crosspoints: (5,7), (5,8), (5,9) and (5,10). **Note:** when one dimension is specified as a range, the other may **not** be wildcarded.

In the 1 dimensional case, addresses must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher).

The data type is integer, in the range -70 to +20, representing the gain in dB. The value -70 has the special meaning **Off**. If an entire column is being transmitted then the data type is array of integer of size 16. If an entire row is being transmitted then the data type is array of integer of size 48. In these cases the value **99** may be used in an update to indicate that a particular crosspoint gain is to **remain unchanged** by the command. A crosspoint group is updated with a single gain value which is applied to all members of the group. The response to a crosspoint group query or *verbose* update is an array of size 48 if the group has been defined as a *Row* type, or an array of size 16 if it has been defined as a *Column* type. The array contains the gain values for *all* crosspoints in the row or column, not just those in the group.

Examples:

	REQUEST	RESPONSE
QUERY	xpgn(1,7)?<CR>	OK -3<CRLF>
QUERY	xpgn(101)?<CR>	OK {0,3,0,...0,0,0}<CRLF>
QUERY	xpgn(*,1)?<CR>	OK {0,3,0,...0,0,0}<CRLF>
QUERY	xpgn(1,*)?<CR>	OK {0,3,0,...0,0,0}<CRLF>
QUERY	xpgn(1:3,7)?<CR>	OK {0,3,0}<CRLF>
QUERY	xpgn(1,10:15)?<CR>	OK {0,3,0,0,0,0}<CRLF>
UPDATE	xpgn(5,2)=5<CR>	OK<CRLF>
UPDATE	xpgn(101)=5<CR>	OK<CRLF>
UPDATE	xpgn(*,5)={0,5,3,...99,99,99}<CR>	OK<CRLF>
UPDATE	xpgn(5,*)={0,5,3,...99,99,99}<CR>	OK<CRLF>
UPDATE	xpgn(1:3,7)={0,5,3}<CR>	OK<CRLF>
UPDATE	xpgn(1,10:15)={0,5,3,0,0,0}<CR>	OK<CRLF>

xpgnst (crosspoint gain step change)

This command is used as an update to step the gain by the amount specified, either up or down. The crosspoint is specified by using the 2 dimensional address syntax, or a [crosspoint group](#) can be specified using a 1 dimensional address.

In the 2 dimensional case, addresses for the first dimension (input channel) must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for the second dimension (mix bus) must be in the range 1 to 48, or wildcarded.

If the input is wildcarded, then the command applies to the entire *column* of the matrix associated with the specified mix bus. If the output is wildcarded, then the command applies to the entire *row* of the matrix associated with the specified input channel. It is also possible to specify a subset of either the first dimension (input channels) or the second dimension (mix buses), **but not both**, using the range operator ':' (colon character). For example, address (3:5,7) refers to 3 crosspoints: (3,7), (4,7) and (5,7). Address (5,7:10) refers to 4 crosspoints: (5,7), (5,8), (5,9) and (5,10). **Note:** when one dimension is specified as a range, the other may **not** be wildcarded.

In the 1 dimensional case, addresses must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher).

The data type is integer, in the range -6 to +6, representing the gain step in dB. A positive value increments the gain, a negative value decrements the gain. If an entire column is being transmitted then the data type is array of integer of size 16. If an entire row is being transmitted then the data type is array of integer of size 48. A crosspoint group is updated with a single gain step value which is applied to all members of the group. The response to a crosspoint group *verbose* update is an array of size 48 if the group has been defined as a *Row* type, or an array of size 16 if it has been defined as a *Column* type. The array contains the gain values for *all* crosspoints in the row or column, not just those in the group.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>xpgnst(2,2)=2<CR></code>	OK<CRLF>
UPDATE	<code>xpgnst(101)=2<CR></code>	OK<CRLF>
UPDATE	<code>xpgnst(*,3)={2,2,2,...0,0,0}<CR></code>	OK<CRLF>
UPDATE	<code>xpgnst(3,*)={-1,-1,-1,...0,0,0}<CR></code>	OK<CRLF>
UPDATE	<code>xpgnst(3:8,12)={-1,-1,-1,-1,-1,-1}<CR></code>	OK<CRLF>
UPDATE	<code>xpgnst(3,5:8)={-1,-1,-1,-1}<CR></code>	OK<CRLF>

xpgrp (input group)

This command is available in firmware versions 1.5.0 and higher.

This command may be used as a query to read the crosspoint group definition, or as an update to set the group definition. The crosspoint group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a variable length.

- The **first** integer is a code that specifies the **type** of crosspoint group being defined. It may be in the range 0 to 2, with the following meanings:

Code	Crosspoint Group Type
0	Empty (no members)
1	Row (crosspoints associated with a single input channel)
2	Column (crosspoints associated with a single mix bus)

- The **second** integer specifies a *input channel* if the group type is **Row**, or a *mix bus* if the group type is **Column**. It may be in the range 1 to 16 for input channels, and in the range 1 to 48 for mix busses. *Not present if the type is Empty*.
- The **remaining** values specify *mix bus* addresses if the group type is **Row**, or *input channel* addresses if the group type is **Column**. They may be in the range 1 to 16 for input channels, and in the range 1 to 48 for mix busses. *Not present if the type is Empty*.

The values contained in the array define which crosspoints are *members* of the group. The special array **{0}** indicates an *empty* group, one without members, and may be used in an update to clear a previously defined group. Once defined, the address of a group may be substituted for the address of an individual channel in gain control and mute commands. For example:

`rxpxmt(101)=1` mutes all crosspoints which are members of group 101. An error will result if the address of an *empty* group is used in a command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>xpgrp(102)?<CR></code>	OK {1,5,1,2}<CRLF> (type is Row, input is 5, group members are crosspoints 5,1 and 5,2)
QUERY	<code>xpgrp(101)?<CR></code>	OK {0}<CRLF> (group 101 is empty)
UPDATE	<code>xpgrp(105)={2,17,3,4}<CR></code> (type is Column, mix bus is 17, group members are crosspoints 3,17 and 4,17)	OK<CRLF>
UPDATE	<code>xpgrp(105)={0}<CR></code> (empty group as argument to clear group 105)	OK<CRLF>

xpgrpadd (crosspoint group add member)

This command is available in firmware versions 1.5.9 and higher.

This command may be used as an update to *add* one or more crosspoints to an existing (non-empty) group definition. The crosspoint group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a variable length. The values contained in the array represent crosspoints which are added to the group, interpreted in accordance with the crosspoint group type. For the **Row** type values must be in the range 1 to 16 (input channels). For the **Column** type values must be in the range 1 to 48 (mix busses). An error will result if an *empty* group is addressed by this command.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>xpgrpadd(105)={10}<CR></code>	<code>OK<CRLF></code>

xpgrp1b (crosspoint group label)

This command is available in firmware versions 1.5.0 and higher.

This command may be used as a query to read the crosspoint group text label, or as an update to set the label. The crosspoint group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is string, with a limit of 15 characters.

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `xpgrp1b` command to read or write a string that already contains double-quote characters, for example: The "Hula" Room. The solution is to **escape** the double quotes within The "Hula" Room so that it can be passed as a string argument for the `xpgrp1b` command. This is done by preceding the double-quote characters with a **backslash** character like this: The \`"Hula"` Room. Now it can be passed as a string argument to the `xpgrp1b` command: `xpgrp1b(1)="The \"Hula" Room"`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so `"foo\bar"` would become `"foo\\bar"`. If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form `\xHH` where `HH` is any 2-digit hexadecimal number. The special escaped character forms `\r` (carriage return), `\n` (new line) and `\t` (tab) are also recognized..

Examples:

	REQUEST	RESPONSE
QUERY	<code>xpgrp1b(101)?<CR></code>	<code>OK "Media Feeds"<CRLF></code>
UPDATE	<code>xpgrp1b(102)="West Room"<CR></code>	<code>OK<CRLF></code>

xpgrprem (crosspoint group remove member)

This command is available in firmware versions 1.5.9 and higher.

This command may be used as an update to *remove* one or more crosspoints from an existing (non-empty) group definition. The crosspoint group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a variable length. The values contained in the array represent crosspoints which are removed from the group, interpreted in accordance with the crosspoint group type. For the **Row** type values must be in the range 1 to 16 (input channels). For the **Column** type values must be in the range 1 to 48 (mix busses). An error will result if an *empty* group is addressed by this command.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>xpgrprem(105)={10}<CR></code>	<code>OK<CRLF></code>

xpiv (crosspoint phase invert status)

This command may be used as a query to read the matrix crosspoint phase invert status, or as an update to set the status. The crosspoint is specified by using the 2 dimensional address syntax. Addresses for the first dimension (input channel) must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16), or wildcarded. Addresses for the second dimension (mix bus) must be in the range 1 to 48, or wildcarded. If the input is wildcarded, then the command applies to the entire column of the matrix associated with the specified mix bus. If the output is wildcarded, then the command applies to the entire row of the matrix associated with the specified input channel. It is also possible to specify a subset of either the first dimension (input channels) or the second dimension (mix buses), **but not both**, using the range operator ':' (colon character). For example, address (3:5,7) refers to 3 crosspoints: (3,7), (4,7) and (5,7). Address (5,7:10) refers to 4 crosspoints: (5,7), (5,8), (5,9) and (5,10). **Note:** when one dimension is specified as a range, the other may **not** be wildcarded. The data type is integer, either "1" meaning that the crosspoint is muted, or "0" meaning that it is not. If an entire column is being transmitted then the data type is array of integer of size 16. If an entire row is being transmitted then the data type is array of integer of size 48. In these cases the value **99** may be used in an update to indicate that a particular crosspoint mute is to **remain unchanged** by the command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>xpiv(3,9)?<CR></code>	<code>OK 1<CRLF></code>

QUERY	<code>xpiv(*,5)?<CR></code>	OK {0,0,0,...1,1,0}<CRLF>
QUERY	<code>xpiv(5,*)?<CR></code>	OK {0,0,0,...1,1,0}<CRLF>
QUERY	<code>xpiv(5,10:15)?<CR></code>	OK {0,0,0,1,1,0}<CRLF>
QUERY	<code>xpiv(3:4,10)?<CR></code>	OK {0,0}<CRLF>
UPDATE	<code>xpiv(1,3)=0<CR></code>	OK<CRLF>
UPDATE	<code>xpiv(*,5)={0,1,0,...99,99,99}<CR></code>	OK<CRLF>
UPDATE	<code>xpiv(5,*)={0,1,0,...99,99,99}<CR></code>	OK<CRLF>
UPDATE	<code>xpiv(1:5,3)={0,0,0,0,0}<CR></code>	OK<CRLF>
UPDATE	<code>xpiv(1,5:7)={1,1,1}<CR></code>	OK<CRLF>

xpmode (crosspoint mix mode)

This command may be used as a query to read the matrix crosspoint mix mode, or as an update to set the mode. The crosspoint is specified by using the 2 dimensional address syntax.

Addresses for the first dimension (input channel) must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16), or wildcarded.

Addresses for the second dimension (mix bus) must be in the range 1 to 48, or wildcarded. If the input is wildcarded, then the command applies to the entire column of the matrix associated with the specified mix bus. If the output is wildcarded, then the command applies to the entire row of the matrix associated with the specified input channel. It is also possible to specify a subset of either the first dimension (input channels) or the second dimension (mix buses), **but not both**, using the range operator ':' (colon character). For example, address (3:5,7) refers to 3 crosspoints: (3,7), (4,7) and (5,7). Address (5,7:10) refers to 4 crosspoints: (5,7), (5,8), (5,9) and (5,10). **Note:** when one dimension is specified as a range, the other may **not** be wildcarded. The data type is integer, with the following values allowed:

- **0** means that the crosspoint is in DIRECT mode
- **1** means that the crosspoint is in OVERRIDE mode
- **2** means that the crosspoint is in BACKGROUND mode
- **3** means that the crosspoint is in AUTO mode
- **5** means that the crosspoint is in PHANTOM mode

If an entire column is being transmitted then the data type is array of integer of size 16. If an entire row is being transmitted then the data type is array of integer of size 48. In these cases the value **99** may be used in an update to indicate that a particular crosspoint mix mode is to **remain unchanged** by the command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>xpmode(5,9)?<CR></code>	<code>OK 3<CRLF></code>
QUERY	<code>xpmode(*,1)?<CR></code>	<code>OK {3,3,0,...3,3,3}<CRLF></code>
QUERY	<code>xpmode(1,*)?<CR></code>	<code>OK {3,3,0,...3,3,3}<CRLF></code>
QUERY	<code>xpmode(1:3,1)?<CR></code>	<code>OK {3,3,0}<CRLF></code>
QUERY	<code>xpmode(5,12:16)?<CR></code>	<code>OK {3,3,0,3,3}<CRLF></code>
UPDATE	<code>xpmode(8,1)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>xpmode(*,5)={3,1,3,...99,99,3}<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>xpmode(5,*)={3,1,3,...99,99,3}<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>xpmode(1:3,1)={3,1,3}<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>xpmode(5,12:16)={3,1,3,1,3}<CR></code>	<code>OK<CRLF></code>

xpmt (crosspoint mute)

This command may be used as a query to read the matrix crosspoint mute status, or as an update to set the status. The crosspoint is specified by using the 2 dimensional address syntax, or a [crosspoint group](#) can be specified using a 1 dimensional address.

In the 2 dimensional case, addresses for the first dimension (input channel) must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for the second dimension (mix bus) must be in the range 1 to 48, or wildcarded.

If the input is wildcarded, then the command applies to the entire *column* of the matrix associated with the specified mix bus. If the output is wildcarded, then the command applies to the entire *row* of the matrix associated with the specified input channel. It is also possible to specify a subset of either the first dimension (input channels) or the second dimension (mix buses), **but not both**, using the range operator ':' (colon character). For example, address (3:5,7) refers to 3 crosspoints: (3,7), (4,7) and (5,7). Address (5,7:10) refers to 4 crosspoints: (5,7), (5,8), (5,9) and (5,10). **Note:** when one dimension is specified as a range, the other may **not** be wildcarded.

In the 1 dimensional case, addresses must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher).

The data type is integer, either "1" meaning that the crosspoint is muted, or "0" meaning that it is not. If an entire column is being transmitted then the data type is array of integer of size 16. If an entire row is being transmitted then the data type is array of integer of size 48. In these cases the value **99** may be used in an update to indicate that a particular crosspoint mute is to **remain unchanged** by the command. A crosspoint group is updated with a single mute value which is applied to all members of the group. The response to a crosspoint group query or *verbose* update is an array of size 48 if the group has been defined as a *Row* type, or an array of size 16 if it has

been defined as a *Column* type. The array contains the mute values for *all* crosspoints in the row or column, not just those in the group.

Examples:

	REQUEST	RESPONSE
QUERY	<code>xpmt (3 , 9) ? <CR></code>	<code>OK 1 <CRLF></code>
QUERY	<code>xpmt (101) ? <CR></code>	<code>OK { 0 , 0 , 0 , . . . 1 , 1 , 0 } <CRLF></code>
QUERY	<code>xpmt (* , 5) ? <CR></code>	<code>OK { 0 , 0 , 0 , . . . 1 , 1 , 0 } <CRLF></code>
QUERY	<code>xpmt (5 , *) ? <CR></code>	<code>OK { 0 , 0 , 0 , . . . 1 , 1 , 0 } <CRLF></code>
QUERY	<code>xpmt (5 , 10 : 15) ? <CR></code>	<code>OK { 0 , 0 , 0 , 1 , 1 , 0 } <CRLF></code>
QUERY	<code>xpmt (3 : 4 , 10) ? <CR></code>	<code>OK { 0 , 0 } <CRLF></code>
UPDATE	<code>xpmt (1 , 3) = 0 <CR></code>	<code>OK <CRLF></code>
UPDATE	<code>xpmt (101) = 0 <CR></code>	<code>OK <CRLF></code>
UPDATE	<code>xpmt (* , 5) = { 0 , 1 , 0 , . . . 99 , 99 , 99 } <CR></code>	<code>OK <CRLF></code>
UPDATE	<code>xpmt (5 , *) = { 0 , 1 , 0 , . . . 99 , 99 , 99 } <CR></code>	<code>OK <CRLF></code>
UPDATE	<code>xpmt (1 : 5 , 3) = { 0 , 0 , 0 , 0 , 0 } <CR></code>	<code>OK <CRLF></code>
UPDATE	<code>xpmt (1 , 5 : 7) = { 1 , 1 , 1 } <CR></code>	<code>OK <CRLF></code>

xpmttog (crosspoint mute toggle)

This command may be used as a simple command to toggle the matrix crosspoint mute status. The crosspoint is specified by using the 2 dimensional address syntax, or a [crosspoint group](#) can be specified using a 1 dimensional address.

In the 2 dimensional case, addresses for the first dimension (input channel) must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for the second dimension (mix bus) must be in the range 1 to 48. In the 1 dimensional case, addresses must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The response to a crosspoint group *verbose* command is an array of size 48 if the group has been defined as a *Row* type, or an array of size 16 if it has been defined as a *Column* type. The array contains the gain values for *all* crosspoints in the row or column, not just those in the group.

Examples:

	REQUEST	RESPONSE
COMMAND	<code>xpmttog (3 , 9) <CR></code>	<code>OK <CRLF></code>
COMMAND	<code>xpmttog (101) <CR></code>	<code>OK <CRLF></code>

SPNTrio Mix Bus Commands

mixlb	Mix Bus label
mixlv	Final Mix level (dBU RMS)

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

mixlb (mix bus label)

This command may be used as a query to read the mix bus text label, or as an update to set the label. The mix bus is specified by using the address syntax. Addresses must be in the range 1 to 48. The data type is string, with a limit of 15 characters.

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `outlb` command to read or write a string that already contains double-quote characters, for example: The "Hula" Room. The solution is to **escape** the double quotes within The "Hula" Room so that it can be passed as a string argument for the `outlb` command. This is done by preceding the double-quote characters with a **backslash** character like this: The \"Hula\" Room. Now it can be passed as a string argument to the `outlb` command: `outlb(1)=\"The \"Hula\" Room\"`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so `foo\bar` would become `foo\\bar`. If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form `\xHH` where `HH` is any 2-digit hexadecimal number. The special escaped character forms `\r` (carriage return), `\n` (new line) and `\t` (tab) are also recognized.

Examples:

	REQUEST	RESPONSE
--	---------	----------

QUERY	<code>mixlb(1)?<CR></code>	OK "Zone 3"<CRLF>
UPDATE	<code>mixlb(2)="Gallery"<CR></code>	OK<CRLF>

mixlv (final mix level)

This command may be used as a query to read the final mix level. The final mix bus is specified by using the address syntax. Addresses must be in the range 1 to 48. The data type is integer, in the range -70 to +20, representing the RMS audio level in dBu. If the channel address is wildcarded, then the data type is an array of integer of size 48.

Examples:

	REQUEST	RESPONSE
QUERY	<code>mixlv(1)?<CR></code>	OK -23<CRLF>
QUERY	<code>mixlv(*)?<CR></code>	OK {3,-4,-66,...,-80,-80,4}<CRLF>

SPNTrio Audio Output Commands

outattn	Audio output attenuation
outdel	Audio output delay
outgn	Audio output gain
outgrp	Audio output group
outgrpadd	Audio output group add member
outgrplb	Audio output group label
outgrprem	Audio output group remove member
outlb	Audio output channel label
outlv	Audio output level (dBU RMS)
outmt	Audio output mute status
outmttog	Audio output mute toggle
outsrc	Audio output channel signal source

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK !ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

outattn (output attenuation)

This command may be used as a query to read the output attenuation, or as an update to set the attenuation. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to line outputs 1 - 12 only, conferencing outputs 13 - 15 and PA outputs 16 - 17 are excluded). The data type is integer, either "0", "20" or "40" dB of attenuation. If the channel address is wildcarded, then the data type is an array of integer of size 12. Only outputs 9 - 12 actually have an attenuator. Updates to outputs 1 - 8 have no effect.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outattn(3)?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>outattn(2)=20<CR></code>	<code>OK<CRLF></code>

outdel (output delay)

This command may be used as a query to read the output channel delay, or as an update to set the delay. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to line outputs 1 - 12 only, conferencing outputs 13 - 15 and PA outputs 16 - 17 are excluded). The data type is integer, in the range 0 to 500, representing the time delay in one half millisecond increments. If the channel address is wildcarded, then the data type is an array of integer of size 12. In this case the value **9999** may be used in an update to indicate that a particular output delay is to **remain unchanged** by the command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outdel(1)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>outdel(*)?<CR></code>	<code>OK {0,44,0,...,0,0,0}<CRLF></code>
UPDATE	<code>outdel(2)=500<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outdel(*)={0,0,100,...,0,0,9999}<CR></code>	<code>OK<CRLF></code>

outgn (output gain)

This command may be used as a query to read the output channel gain, or as an update to set the gain. The output channel or [output group](#) is specified by using the address syntax. Addresses for output channels must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). Addresses for output groups must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The data type is integer, in the range -70 to +20, representing the gain in dB. The value -70 has the special meaning **Off**. If the channel address is wildcarded, then the data type is an array of integer of size 17. In this case the value **99** may be used in an update to indicate that a particular output gain is to **remain unchanged** by the command. An output group is updated with a single gain value which is applied to all members of the group. The response to an output group query or *verbose* update is an array of integer of size 17, containing the gain values for *all* output channels, not just those in the group.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outgn(1)?<CR></code>	<code>OK -3<CRLF></code>
QUERY	<code>outgn(101)?<CR></code>	<code>OK {3,-4,0,...,0,0,0}<CRLF></code>
QUERY	<code>outgn(*)?<CR></code>	<code>OK {3,-4,0,...,0,0,0}<CRLF></code>
UPDATE	<code>outgn(2)=5<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outgn(101)=5<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outgn(*)={0,-5,6,...,0,0,99}<CR></code>	<code>OK<CRLF></code>

outgrp (output group)

This command is available in firmware versions 1.5.0 and higher.

This command may be used as a query to read the output channel group definition, or as an update to set the group definition. The output group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a variable length. The values contained in the array represent the output channels which are *members* of the group, in the range 1 to 17. The special array **{0}** indicates an *empty* group, one without members, and may be used in an update to clear a previously defined group. Once defined, the address of a group may be substituted for the address of an individual channel in gain control and mute commands. For example: `rpoutmt(101)=1` mutes all output channels which are members of group 101. An error will result if the address of an *empty* group is used in a command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outgrp(102)?<CR></code>	<code>OK {1,2,3,5,7}<CRLF></code>
QUERY	<code>outgrp(101)?<CR></code>	<code>OK {0}<CRLF></code> <code>(group 101 is empty)</code>
UPDATE	<code>outgrp(105)={1,2,3}<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outgrp(105)={0}<CR></code> <code>(empty group as argument to clear group 105)</code>	<code>OK<CRLF></code>

outgrpadd (output group add member)

This command is available in firmware versions 1.5.9 and higher.

This command may be used as an update to *add* one or more output channels to a group definition. The output group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a variable length. The values contained in the array represent the output channels which are added to the group, in the range 1 to 17.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>outgrpadd(105)={1,2,3}<CR></code>	<code>OK<CRLF></code>

outgrp1b (output group label)

This command is available in firmware versions 1.5.0 and higher.

This command may be used as a query to read the output group text label, or as an update to set the label. The output group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is string, with a limit of 15 characters.

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `outgrp1b` command to read or write a string that already contains double-quote characters, for example: The "Hula" Room. The solution is to **escape** the double quotes within The "Hula" Room so that it can be passed as a string argument for the `outgrp1b` command. This is done by preceding the double-quote characters with a **backslash** character like this: The \`"Hula"` Room. Now it can be passed as a string argument to the `outgrp1b` command: `outgrp1b(1)="The \"Hula" Room"`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so `"foo\bar"` would become `"foo\\bar"`. If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form `\xHH` where `HH` is any 2-digit hexadecimal number. The special escaped character forms `\r` (carriage return), `\n` (new line) and `\t` (tab) are also recognized..

Examples:

	REQUEST	RESPONSE
QUERY	<code>outgrp1b(101)?<CR></code>	<code>OK "Media Feeds"<CRLF></code>
UPDATE	<code>outgrp1b(102)="West Room"<CR></code>	<code>OK<CRLF></code>

outgrp1rem (output group remove member)

This command is available in firmware versions 1.5.9 and higher.

This command may be used as an update to *remove* one or more output channels to a group definition. The output group is specified by using the address syntax. Addresses must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a variable length. The values contained in the array represent the output channels which are removed from the group, in the range 1 to 17.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>outgrprem(105)={1}<CR></code>	<code>OK<CRLF></code>

outlb (output channel label)

This command may be used as a query to read the output channel text label, or as an update to set the label. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 12 (applies to line outputs 1 - 12 only, conferencing outputs 13 - 15 and PA outputs 16 - 17 are excluded). The data type is string, with a limit of 15 characters.

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `outlb` command to read or write a string that already contains double-quote characters, for example: The "Hula" Room. The solution is to **escape** the double quotes within The "Hula" Room so that it can be passed as a string argument for the `outlb` command. This is done by preceding the double-quote characters with a **backslash** character like this: The \"Hula\" Room. Now it can be passed as a string argument to the `outlb` command: `outlb(1)=\"The \"Hula\" Room\"`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so `foo\bar` would become `foo\\bar`. If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form `\xHH` where `HH` is any 2-digit hexadecimal number. The special escaped character forms `\r` (carriage return), `\n` (new line) and `\t` (tab) are also recognized.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outlb(1)?<CR></code>	<code>OK "Zone 3"<CRLF></code>
UPDATE	<code>outlb(2)=\"Gallery\"<CR></code>	<code>OK<CRLF></code>

outlv (output level)

This command may be used as a query to read the output channel level. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, in the range -70 to +20, representing the RMS audio level in dBu as measured after output processing. If the channel address is wildcarded, then the data type is an array of integer of size 17.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outlv(1)?<CR></code>	<code>OK -23<CRLF></code>
QUERY	<code>outlv(*)?<CR></code>	<code>OK {3,-4,-66,...,-80,-80,4}<CRLF></code>

outmt (output mute)

This command may be used as a query to read the output channel mute status, or as an update to set the status. The output channel or [output group](#) is specified by using the address syntax. Addresses for output channels must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). Addresses for output groups must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The data type is integer, either "1" meaning that the output is muted, or "0" meaning that it is not. If the channel address is wildcarded, then the data type is an array of integer of size 17. In this case the value **99** may be used in an update to indicate that a particular output mute is to **remain unchanged** by the command. An output group is updated with a single mute value which is applied to all members of the group. The response to an output group query or *verbose* update is an array of integer of size 17, containing the mute values for *all* output channels, not just those in the group.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outmt(2)?<CR></code>	<code>OK 1<CRLF></code>
QUERY	<code>outmt(101)?<CR></code>	<code>OK {0,0,1,...,0,0,0}<CRLF></code>
QUERY	<code>outmt(*)?<CR></code>	<code>OK {0,0,1,...,0,0,0}<CRLF></code>
UPDATE	<code>outmt(1)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outmt(101)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outmt(*)={0,1,0,...,0,0,99}<CR></code>	<code>OK<CRLF></code>

outmttog (output mute toggle)

This command may be used as a simple command to toggle the output channel mute status. The output channel or [output group](#) is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). Addresses for output groups must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The response to an output group *verbose* command is an array of integer of size 17, containing the gain values for *all* output channels, not just those in the group.

Examples:

	REQUEST	RESPONSE
COMMAND	<code>outmttog(1)<CR></code>	<code>OK<CRLF></code>
COMMAND	<code>outmttog(101)<CR></code>	<code>OK<CRLF></code>

outsrc (output signal source)

This command may be used as a query to read the output signal source status, or as an update to set the status. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, unless the channel address is wildcarded, in which case the data type is an array of integer of size 17. The following values are allowed:

- **0 - 47** means that the output channel is fed by one of the 48 ASPEN system final mixes. Note that a **zero based index** is used.
- **129** means that the output channel is fed by a 20Hz to 20kHz 0 dBu white noise source
- **130** means that the output channel is fed by a 20Hz to 20kHz 0 dBu pink noise source
- **132** means that the output channel is fed by a single frequency sine wave source
- **133** means that the output channel is fed by a swept frequency sine wave source

In the case of an update with the channel address wildcarded, the value **999** may be used to indicate that a particular output source is to **remain unchanged** by the command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outsrc(3)?<CR></code>	<code>OK 0<CRLF></code>

SPNTrio Command Set v1.5

QUERY	<code>outsrc(*)?<CR></code>	OK {0,1,2,...,21,22,23}<CRLF>
UPDATE	<code>outsrc(2)=2<CR></code>	OK<CRLF>
UPDATE	<code>outsrc(*)={0,0,1,...,21,22,999}<CR></code>	OK<CRLF>

SPNTrio Output Compressor Commands

outcpgn	Output compressor gain
outcpmug	Output compressor makeup gain
outcprat	Output compressor ratio
outcptc	Output compressor time constant
outcpthr	Output compressor threshold level

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK !ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

outcpgn (output compressor gain)

This command may be used as a query to read the compressor gain. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, representing the gain in dB, which is always a negative value if the compressor is active, or zero. If the channel address is wildcarded, then the data type is an array of integer of size 17.

Example:

	REQUEST	RESPONSE
QUERY	<code>outcpgn(1)?<CR></code>	<code>OK -11<CRLF></code>
QUERY	<code>outcpgn(*)?<CR></code>	<code>OK {-11,0,0,0,0}<CRLF></code>

outcpmug (output compressor makeup gain)

This command may be used as a query to read the makeup gain, or as an update to set the makeup gain. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, in the range 0 to 30, representing the gain in dB. If the channel address is wildcarded, then the data type is an array of integer of size 17. The allowable upper limit of makeup gain values is dynamically determined by the threshold and ratio settings of the compressor, and may be less than the absolute maximum of 30 dB. If the value sent in an update request exceeds this upper limit, it will be forced to the limit value.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outcpmug(1)?<CR></code>	<code>OK 5<CRLF></code>
QUERY	<code>outcpmug(*)?<CR></code>	<code>OK {5,5,5,0,0}<CRLF></code>
UPDATE	<code>outcpmug(5)=12<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outcpmug(*)={5,5,5,0,0}<CR></code>	<code>OK<CRLF></code>

outcprat (output compressor ratio)

This command may be used as a query to read the ratio, or as an update to set the ratio. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is float, in the range 0.0 to 50.0, representing the compression ratio, with 0.0 meaning that the compressor is "off". If the channel address is wildcarded, then the data type is an array of integer of size 17.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outcprat(1)?<CR></code>	<code>OK 4.5<CRLF></code>
QUERY	<code>outcprat(*)?<CR></code>	<code>OK {3.0,3.0,3.0,0.0,0.0}<CRLF></code>
UPDATE	<code>outcprat(5)=5.55<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outcprat(*)={3.0,3.0,3.0,0.0,0.0}<CR></code>	<code>OK<CRLF></code>

outcptc (output compressor time constant)

This command may be used as a query to read the time constant, or as an update to set the time constant. The output channel is specified by using the address syntax. Addresses must be in the

range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, in the range 5 to 10000, representing the time in one tenth millisecond increments. If the channel address is wildcarded, then the data type is an array of integer of size 17.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outcptc(1)?<CR></code>	<code>OK 1000<CRLF></code>
QUERY	<code>outcptc(*)?<CR></code>	<code>OK {2000,2000,2000,2000,2000}<CRLF></code>
UPDATE	<code>outcptc(2)=2000<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outcptc(*)={2000,2000,2000,2000,2000}<CR></code>	<code>OK<CRLF></code>

outcpthr (output compressor threshold level)

This command may be used as a query to read the threshold, or as an update to set the threshold. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, in the range -80 to +20, representing the level in dBu. If the channel address is wildcarded, then the data type is an array of integer of size 17.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outcpthr(1)?<CR></code>	<code>OK -3<CRLF></code>
QUERY	<code>outcpthr(*)?<CR></code>	<code>OK {-6,-6,0,0,0}<CRLF></code>
UPDATE	<code>outcpthr(5)=-20<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outcpthr(*)={-6,-6,0,0,0}<CR></code>	<code>OK<CRLF></code>

SPNTrío Output EQ Filter Commands

outfil	Output EQ filter definition
outfilby	Output EQ filter bypass status

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

outfil (output EQ filter parameters)

This command may be used as a query to read an output EQ filter definition, or as an update to modify the definition. The filter is specified by using the 2 dimensional address syntax. Addresses for the first dimension (output channel) must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). Addresses for the second dimension (EQ filter stage) must be in the range 1 to 8. Wildcards may **not** be used for either dimension. The data type is array of integer, with a fixed length of 6. The values contained in the array represent the 6 parameters of the EQ filter, using the following scheme:

- The **first** integer is a code that specifies the **type** of the filter. It may be in the range 0 to 5, with the following meanings:

Code	Filter Type
0	All Pass (no filtering)
1	Low Pass
2	High Pass
3	Low Shelving
4	High Shelving
5	Parametric

- The **second** integer is a code that specifies the **slope** of the filter. It may be in the range 1 to 4, with the following meanings:

Code	Filter Slope
1	6dB per octave (1st order)
2	12dB per octave (2nd order)
3	18dB per octave (3rd order)
4	24dB per octave (4th order)

- **RULE:** The filter slope parameter applies to the low/high shelving and low/high pass filter types only. Use 0 (zero) as a placeholder for the remaining filter types.
- The **third** integer is a code that specifies the **approximation** of the filter. It may be in the range 0 to 2, with the following meanings:

Code	Filter Approximation
0	Butterworth
1	Bessel
2	Linkwitz-Riley

- **RULE:** The filter approximation parameter applies to the low/high shelving and low/high pass filter types **only**. Use 0 (zero) as a placeholder for the remaining filter types.
- **RULE:** The Linkwitz-Riley filter approximation may be applied to the low/high pass filter types **only**, with the further limitation that these filters have slopes of 12dB or 24dB per octave **only** (2nd or 4th order filters only).
- The **fourth** integer specifies the **corner frequency** of the filter in Hz. It may be in the range 20 to 20000.
 - **RULE:** The filter frequency parameter applies to all filters **except** the all pass filter. Use 0 (zero) as a placeholder for the all pass filter type.
- The **fifth** integer specifies the **gain** (boost/cut) of the filter in dB. It may be in the range -30 to 30.
 - **RULE:** The filter gain parameter applies to the low/high shelving and parametric filter types **only**. Use 0 (zero) as a placeholder for the remaining filter types.
- The **sixth** integer specifies the **bandwidth** of the filter in hundredths of an octave (octaves / 100). It may be in the range 5 to 1000.
 - **RULE:** The filter bandwidth parameter applies to the parametric filter type **only**. Use 0 (zero) as a placeholder for the remaining filter types.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outfil(5,1)?<CR></code>	<code>OK {5,0,0,1000,3,100}<CRLF></code>
UPDATE	<code>outfil(2,1)={5,0,0,1000,3,100}<CR></code>	<code>OK<CRLF></code>

outfilby (output EQ filter bypass status)

This command may be used as a query to read the EQ filter bypass status, or as an update to set the status. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, either "1" meaning that EQ filtering on the output is bypassed (all stages bypassed), or "0" meaning that it is not bypassed (all stages applied). If the channel address is wildcarded, then the data type is an array of integer of size 17.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outfilby(1)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>outfilby(*)?<CR></code>	<code>OK {0,0,0,0,0,0}<CRLF></code>
UPDATE	<code>outfilby(5)=1<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outfilby(*)={1,1,1,0,0}<CR></code>	<code>OK<CRLF></code>

SPNTrio Output Limiter Commands

outlmgn	Output limiter gain
outlmtc	Output limiter time constant
outlmthr	Output limiter threshold level

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK !ngn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

outlmgn (output limiter gain)

This command may be used as a query to read the limiter gain. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, representing the gain in dB, which is always a negative value if the limiter is active, or zero. If the channel address is wildcarded, then the data type is an array of integer of size 17.

Example:

	REQUEST	RESPONSE
QUERY	<code>outlmgn(1)?<CR></code>	<code>OK -11<CRLF></code>
QUERY	<code>outlmgn(*)?<CR></code>	<code>OK {-7,0,0,0,0}<CRLF></code>

outlmtc (output limiter time constant)

This command may be used as a query to read the time constant, or as an update to set the time constant. The output channel is specified by using the address syntax. Addresses must be in the

range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, in the range 1 to 5000, representing the time in one tenth millisecond increments. If the channel address is wildcarded, then the data type is an array of integer of size 17.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outlmtc(1)?<CR></code>	<code>OK 200<CRLF></code>
QUERY	<code>outlmtc(*)?<CR></code>	<code>OK {500,500,500,500,500}<CRLF></code>
UPDATE	<code>outlmtc(2)=1000<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outlmtc(*)={500,500,500,500,500}<CR></code>	<code>OK<CRLF></code>

outlmthr (output limiter threshold level)

This command may be used as a query to read the threshold, or as an update to set the threshold. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, in the range -50 to +20, representing the level in dBu. If the channel address is wildcarded, then the data type is an array of integer of size 17.

Examples:

	REQUEST	RESPONSE
QUERY	<code>outlmthr(1)?<CR></code>	<code>OK 10<CRLF></code>
QUERY	<code>outlmthr(*)?<CR></code>	<code>OK {15,15,15,15,15}<CRLF></code>
UPDATE	<code>outlmthr(5)=15<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outlmthr(5)={15,15,15,15,15}<CR></code>	<code>OK<CRLF></code>

SPNTrío Telephone Interface Commands

telautoans	Telephone auto answer
telautodis	Telephone auto disconnect
telconn	Telephone line connection status
telcchmlv	Telephone connection chime level
telconnchm	Telephone connection chime
teldial	Dial telephone number
teldialspd	Telephone dialing speed
teldtmf	Send single DTMF character
teldtmflv	Telephone DTMF level
teldtmfmon	DTMF Monitoring status
telflash	Flash telephone hookswitch
telflashtm	Telephone hookswitch flash time
telnbr	Stored telephone number
telnbrti	Stored telephone number title
telpriv	Telephone line privacy
telprivmod	Telephone line privacy mode
telredial	Redial last number
telrchmlv	Telephone ring chime level
telringchm	Telephone ring chime
telringing	Telephone ringing status

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

telautoans (telephone auto answer)

This command may be used as a query to determine the status of the telephone auto answer feature. It may also be used as an update to enable or disable auto answer. The data type is integer, either "0" meaning disabled, or a positive number to indicate how many ring pulses to wait before answering.

Examples:

	REQUEST	RESPONSE
QUERY	telautoans?<CR>	OK 0<CRLF>
UPDATE	telautoans=3<CR>	OK<CRLF>

telautodis (telephone auto disconnect)

This command may be used as a query to determine the status of the telephone auto disconnect feature. It may also be used as an update to enable or disable auto disconnect. The data type is integer, either "1" meaning enabled, or "0" meaning disabled.

Examples:

	REQUEST	RESPONSE
QUERY	telautodis?<CR>	OK 0<CRLF>
UPDATE	telautodis=1<CR>	OK<CRLF>

telcchmlv (telephone connection chime level)

This command may be used as a query to read the telephone connection chime level, or as an update to set the level. The data type is integer, in the range -12 to +12, representing dB relative to the normal audio level.

Examples:

	REQUEST	RESPONSE
QUERY	telcchmlv?<CR>	OK -3<CRLF>
UPDATE	telcchmlv=0<CR>	OK<CRLF>

telconn (telephone line connection status)

This command may be used as a query to determine the connection status of the telephone line interface. It may also be used as an update to make or break a connection to the telephone line. The data type is integer, either "1" meaning that the telephone interface is connected to the line ("off-hook"), or "0" meaning that it is not ("on-hook").

Examples:

	REQUEST	RESPONSE
QUERY	<code>telconn?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>telconn=1<CR></code>	<code>OK<CRLF></code>

telconnchm (telephone connection chime)

This command may be used as a query to determine the status of the telephone connection chime feature. It may also be used as an update to enable or disable the connection chime. The data type is integer, either "1" meaning enabled, or "0" meaning disabled.

Examples:

	REQUEST	RESPONSE
QUERY	<code>telconnchm?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>telconnchm=1<CR></code>	<code>OK<CRLF></code>

teldial (dial telephone number)

This command may be used as an update causing a telephone number string to be dialed. A telephone line connection will be automatically made. The data type is string, with a limit of 30 characters. The following characters are meaningful in telephone number strings:

0 1 2 3 4 5 6 7 8 9	DTMF digits
* #	DTMF alphabetic characters (commonly used)
A B C D	DTMF alphabetic characters (rarely used)
!	causes a hookswitch "flash"
,	causes a one second pause in dialing

Other characters are permitted, but ignored when dialing.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>teldial="1-555-5555"<CR></code>	<code>OK<CRLF></code>

tealdialspd (telephone dialing speed)

This command may be used as a query to read the telephone line interface dialing speed. It may also be used as an update to set the dialing speed. The data is an integer type in the range 1 to 5, where 1 represents the slowest and 5 the fastest speed.

Examples:

	REQUEST	RESPONSE
QUERY	<code>tealdialspd?<CR></code>	<code>OK 3<CRLF></code>
UPDATE	<code>tealdialspd=2<CR></code>	<code>OK<CRLF></code>

telatmf (Send single DTMF character)

This command may be used as an update causing a single DTMF character to be sent over the telephone line interface. The data type is string, with a limit of 1 character. The following characters are permitted:

0 1 2 3 4 5 6 7 8 9	DTMF digits
* #	DTMF alphabetic characters (commonly used)
A B C D	DTMF alphabetic characters (rarely used)

Any other characters result in an error.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>telatmf="3"<CR></code>	<code>OK<CRLF></code>

teldtmflv (telephone DTMF level)

This command may be used as a query to read the telephone DTMF level, or as an update to set the level. The data type is integer, in the range -6 to +6, representing dB relative to the normal audio level.

Examples:

	REQUEST	RESPONSE
QUERY	teldtmflv?<CR>	OK -3<CRLF>
UPDATE	teldtmflv=0<CR>	OK<CRLF>

teldtmfmon (DTMF Monitoring Status)

This command may be used as a query to determine the DTMF Monitoring status, or as an update to set the monitoring status. The data type is integer, either "1" meaning enabled, or "0" meaning disabled.

Examples:

	REQUEST	RESPONSE
QUERY	teldtmfmon?<CR>	OK 0<CRLF>
UPDATE	teldtmfmon=1<CR>	OK<CRLF>

telflash (flash telephone hookswitch)

This command may be used to "flash" the telephone hookswitch (momentarily break and then re-make the connection).

Example:

	REQUEST	RESPONSE
COMMAND	telflash<CR>	OK<CRLF>

telflashtm (telephone hookswitch flash time)

This command may be used as a query to read the hookswitch "flash" time (the time for which the DMTH4 goes back "on hook", momentarily breaking the connection, in response to the "telflash" command). It may also be used as an update to set the flash time. The data is an integer type in the range 100 to 2500, in steps of 100, representing the time in milliseconds. The default is 500 msec. The hookswitch flash time is a global setting, not associated with any particular preset. **Note:** this command available with DMTH4 firmware version 2.0.1 or higher only.

Examples:

	REQUEST	RESPONSE
QUERY	<code>telflashtm?<CR></code>	<code>OK 500<CRLF></code>
UPDATE	<code>telflashtm=600<CR></code>	<code>OK<CRLF></code>

telnbr (stored telephone number)

This command may be used as a query to read a stored telephone number, or as an update to store a telephone number string. The position in the "phone book" storage is specified by using the address syntax. Addresses must be in the range 1 to 32. The data type is string, with a limit of 30 characters. Only [certain characters](#) are meaningful in telephone number strings. Other characters are permitted, but ignored when dialing.

Examples:

	REQUEST	RESPONSE
QUERY	<code>telnbr(1)?<CR></code>	<code>OK "555-5555"<CRLF></code>
UPDATE	<code>telnbr(12)="1-555-5555"<CR></code>	<code>OK<CRLF></code>

telnbrti (stored telephone number title)

This command may be used as a query to read a stored telephone number title, or as an update to store a telephone number title string. The position in the "phone book" storage is specified by using the address syntax. Addresses must be in the range 1 to 32. The data type is string, with a limit of 30 characters.

Examples:

	REQUEST	RESPONSE
QUERY	<code>telnbrti(1)?<CR></code>	<code>OK "Joe's Muffler Shop"<CRLF></code>

UPDATE	<code>telnbrti(12)="New England Sales Office"<CR></code>	<code>OK<CRLF></code>
--------	--	-----------------------------

telpriv (telephone line privacy)

This command may be used as a query to determine the privacy status of the telephone line interface. It may also be used as an update to enable or disable the privacy feature on the telephone line interface. The data type is integer, either "1" meaning enabled, or "0" meaning disabled.

Examples:

	REQUEST	RESPONSE
QUERY	<code>telpriv?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>telpriv=1<CR></code>	<code>OK<CRLF></code>

telprivmod (telephone line privacy mode)

This command may be used as a query to read the privacy mode setting for the telephone line interface. It may also be used as an update to set the privacy mode. The data is an integer type. The following values are allowed:

- **1** means that **only** telephone **transmit** audio is muted when privacy is enabled
- **2** means that **only** telephone **receive** audio is muted when privacy is enabled
- **3** means that **both** telephone **transmit** and **receive** audio are muted when privacy is enabled

Examples:

	REQUEST	RESPONSE
QUERY	<code>telprivmod?<CR></code>	<code>OK 3<CRLF></code>
UPDATE	<code>telprivmod=2<CR></code>	<code>OK<CRLF></code>

telrchmlv (telephone ring chime level)

This command may be used as a query to read the telephone ring chime level, or as an update to set the level. The data type is integer, in the range -12 to +12, representing dB relative to the normal audio level.

Examples:

	REQUEST	RESPONSE
QUERY	<code>telrchmlv?<CR></code>	<code>OK -3<CRLF></code>
UPDATE	<code>telrchmlv=0<CR></code>	<code>OK<CRLF></code>

telredial (redial last number)

This command may be used to redial the last dialed telephone number.

Example:

	REQUEST	RESPONSE
COMMAND	<code>telredial<CR></code>	<code>OK<CRLF></code>

telringchm (telephone ring chime)

This command may be used as a query to determine the status of the telephone ring chime feature. It may also be used as an update to enable or disable the ring chime. The data type is integer, either "1" meaning enabled, or "0" meaning disabled.

Examples:

	REQUEST	RESPONSE
QUERY	<code>telringchm?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>telringchm=1<CR></code>	<code>OK<CRLF></code>

telringing (telephone ringing status)

This command may be used as a query to determine if an incoming telephone call is detected by the telephone line interface. The data type is integer, either "1" meaning true (ring pulses detected), or "0" meaning false.

Examples:

	REQUEST	RESPONSE
QUERY	<code>telringing?<CR></code>	<code>OK 0<CRLF></code>

SPNTrio Codec Interface Commands

codconn	Codec connection status
codcchmlv	Codec connection chime level
codconnchm	Codec connection chime
codpriv	Codec privacy
codprivmod	Codec privacy mode

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK !ngn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

codcchmlv (codec connection chime level)

This command may be used as a query to read the codec connection chime level, or as an update to set the level. The codec interface is specified by using the address syntax. Addresses must be in the range 1 to 2. The data type is integer, in the range -12 to +12, representing dB relative to the normal audio level.

Examples:

	REQUEST	RESPONSE
QUERY	<code>codcchmlv(1)?<CR></code>	<code>OK -3<CRLF></code>
UPDATE	<code>codcchmlv(2)=0<CR></code>	<code>OK<CRLF></code>

codconn (codec connection status)

This command may be used as a query to determine the connection status of the codec interface. It may also be used as an update to make or break a connection to the codec. The codec interface is specified by using the address syntax. Addresses must be in the range 1 to 2. The data type is integer, either "1" meaning that the codec interface is connected, or "0" meaning that it is not.

Examples:

	REQUEST	RESPONSE
QUERY	<code>codconn(1)?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>codconn(2)=1<CR></code>	<code>OK<CRLF></code>

codconnchm (codec connection chime)

This command may be used as a query to determine the status of the codec connection chime feature. It may also be used as an update to enable or disable the connection chime. The codec interface is specified by using the address syntax. Addresses must be in the range 1 to 2. The data type is integer, either "1" meaning enabled, or "0" meaning disabled.

Examples:

	REQUEST	RESPONSE
QUERY	<code>codconnchm(1)?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>codconnchm(2)=1<CR></code>	<code>OK<CRLF></code>

codpriv (codec privacy)

This command may be used as a query to determine the privacy status of the codec interface. It may also be used as an update to enable or disable the privacy feature on the codec interface. The codec interface is specified by using the address syntax. Addresses must be in the range 1 to 2. The data type is integer, either "1" meaning enabled, or "0" meaning disabled.

Examples:

	REQUEST	RESPONSE
QUERY	<code>codpriv(1)?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>codpriv(2)=1<CR></code>	<code>OK<CRLF></code>

codprivmod (codec privacy mode)

This command may be used as a query to read the privacy mode setting for the codec interface. It may also be used as an update to set the privacy mode. The codec interface is specified by using the address syntax. Addresses must be in the range 1 to 2. The data is an integer type. The following values are allowed:

- **1** means that **only** codec **transmit** audio is muted when privacy is enabled
- **2** means that **only** codec **receive** audio is muted when privacy is enabled
- **3** means that **both** codec **transmit** and **receive** audio are muted when privacy is enabled

Examples:

	REQUEST	RESPONSE
QUERY	<code>codprivmod(1)?<CR></code>	<code>OK 3<CRLF></code>
UPDATE	<code>codprivmod(2)=2<CR></code>	<code>OK<CRLF></code>

SPNTrio Acoustic Echo Canceller (AEC) Commands

aecavg	Acoustic echo canceller averaging
aecen	Acoustic echo canceller enable
aecerl	Acoustic echo canceller ERL
aecerle	Acoustic echo canceller ERLE
aecenr	Acoustic echo canceller ENR
aeref	Acoustic echo canceller reference signal
aesign	Acoustic echo canceller send signal

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

aecavg (acoustic echo canceller averaging)

This command may be used as a query to read the AEC averaging parameter, or as an update to set the parameter. The data type is integer, in the range 2 to 5. The default value is 5.

Examples:

	REQUEST	RESPONSE
QUERY	<code>aecavg?<CR></code>	<code>OK 5<CRLF></code>
UPDATE	<code>aecavg=5<CR></code>	<code>OK<CRLF></code>

aecen (acoustic echo canceller enable)

This command may be used as a query to determine the status of the AEC. It may also be used as an update to enable or disable the AEC. The data type is integer, either "1" meaning enabled, or "0" meaning disabled.

Examples:

	REQUEST	RESPONSE
QUERY	<code>aecen?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>aecen=1<CR></code>	<code>OK<CRLF></code>

aecerl (acoustic echo canceller ERL)

This command may be used as a query to read the AEC measured ERL (echo return loss). The data type is integer, in the range 0 to +60, representing the return loss in dB.

Example:

	REQUEST	RESPONSE
QUERY	<code>aecerl?<CR></code>	<code>OK 18<CRLF></code>

aecerle (acoustic echo canceller ERLE)

This command may be used as a query to read the AEC measured ERLE (echo return loss enhancement). The data type is integer, in the range 0 to +60, representing the addition echo suppression (loss) in dB that is provided by the operation of the acoustic echo canceller.

Example:

	REQUEST	RESPONSE
QUERY	<code>aecerle?<CR></code>	<code>OK 33<CRLF></code>

aecenr (acoustic echo canceller ENR)

This command may be used as a query to read the AEC measured ENR (echo-to-noise ratio). The data type is integer, in the range 0 to +60, representing the ratio of echo signal to local room noise in dB.

Example:

	REQUEST	RESPONSE
QUERY	<code>aecenr?<CR></code>	<code>OK 12<CRLF></code>

aecref (acoustic echo canceller reference source)

This command may be used as a query to read the AEC reference signal source, or as an update to set the source. The data type is integer, in the range 1 to 48, representing the address of the mix bus to be monitored.

Examples:

	REQUEST	RESPONSE
QUERY	<code>aecref?<CR></code>	<code>OK 48<CRLF></code>
UPDATE	<code>aecref=48<CR></code>	<code>OK<CRLF></code>

aecsig (acoustic echo canceller send signal source)

This command may be used as a query to read the AEC send signal source, or as an update to set the source. The data type is integer, in the range 1 to 48, representing the address of the mix bus to be monitored.

Examples:

	REQUEST	RESPONSE
QUERY	<code>aecsig?<CR></code>	<code>OK 47<CRLF></code>
UPDATE	<code>aecsig=47<CR></code>	<code>OK<CRLF></code>

SPNTrio Line Echo Cancellor (LEC) Commands

lecavg	Line echo canceller averaging
lecen	Line echo canceller enable
lecerl	Line echo canceller ERL
lecerle	Line echo canceller ERLE
lecenr	Line echo canceller ENR

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

lecavg (acoustic echo canceller averaging)

This command may be used as a query to read the LEC averaging parameter, or as an update to set the parameter. The data type is integer, in the range 2 to 5. The default value is 5.

Examples:

	REQUEST	RESPONSE
QUERY	<code>lecavg?<CR></code>	<code>OK 5<CRLF></code>
UPDATE	<code>lecavg=5<CR></code>	<code>OK<CRLF></code>

lecen (line echo canceller enable)

This command may be used as a query to determine the status of the LEC. It may also be used as an update to enable or disable the LEC. The data type is integer, either "1" meaning enabled, or "0" meaning disabled.

Examples:

	REQUEST	RESPONSE
QUERY	<code>leceen?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>leceen=1<CR></code>	<code>OK<CRLF></code>

lecerl (line echo canceller ERL)

This command may be used as a query to read the LEC measured ERL (echo return loss). The data type is integer, in the range 0 to +60, representing the return loss in dB.

Example:

	REQUEST	RESPONSE
QUERY	<code>lecerl?<CR></code>	<code>OK 18<CRLF></code>

lecerle (line echo canceller ERLE)

This command may be used as a query to read the LEC measured ERLE (echo return loss enhancement). The data type is integer, in the range 0 to +60, representing the addition echo suppression (loss) in dB that is provided by the operation of the line echo canceller.

Example:

	REQUEST	RESPONSE
QUERY	<code>lecerle?<CR></code>	<code>OK 33<CRLF></code>

leceenr (line echo canceller ENR)

This command may be used as a query to read the LEC measured ENR (echo-to-noise ratio). The data type is integer, in the range 0 to +60, representing the ratio of echo signal to local room noise in dB.

Example:

	REQUEST	RESPONSE
QUERY	<code>!ecenr?<CR></code>	<code>OK 12<CRLF></code>

SPNTrio Programmable I/O Commands

prgin	Programmable input state
prgindex	Programmable input definition
prginundef	Programmable input un-definition
prgout	Programmable output state
prgoutdef	Programmable output definition
prgoutht	Programmable output hold time
prgoutiv	Programmable output invert
prgoutpl	Programmable output pulse
prgoutqt	Programmable output qualification time
vprgin	Virtual programmable input state
vprgindex	Virtual programmable input definition
vprginundef	Virtual programmable input un-definition

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK !ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

prgin (programmable input state)

This command may be used to simulate a **momentary** contact closure on a programmable input or as a query to read the state of programmable inputs. The programmable input is specified by using the address syntax. Addresses must be in the range 1 to 30. **Note:** simulated contact closures have no effect for programmable inputs configured for **analog gain control**. The data type returned by queries is integer, with the possible values depending on the nature of the function assigned to the programmable input. For **analog gain control** functions the values are the range 0 to 255, representing the voltage sensed by the programmable input (0 is 0 volts, 255 is 5 volts). For all other functions the value is either "1", meaning that the input is active

(closed), or "0" meaning that it is not (open). The channel address may be wildcarded in queries, in which case the data type is an array of integer of size 30.

Examples:

	REQUEST	RESPONSE
COMMAND	<code>prgin(11)<CR></code>	<code>OK<CRLF></code>
QUERY	<code>prgin(9)?<CR></code>	<code>OK 1<CRLF></code>
QUERY	<code>prgin(*)?<CR></code>	<code>OK {0,0,1,...,0,0,0}<CRLF></code>

prgindex (programmable input definition)

This command may be used as a query to read a programmable input definition, or as an update to modify the definition. The programmable input is specified by using the address syntax. Addresses must be in the range 1 to 30. The data type is array of integer, with a variable length. The values contained in the array represent the definition of a programmable input, using the following scheme:

- The **first** integer is a code that specifies the **function** that is assigned to the programmable input. It may be in the range 0 to 19, with the following meanings:

Code	Function	Code	Function
0	No function assigned	10	Toggle mute on crosspoint
1	Analog input gain control	11	Momentary mute on input
2	Increment input gain 1 dB	12	Momentary mute on output
3	Decrement input gain 1 dB	13	Momentary mute on crosspoint
4	Analog output gain control	14	Momentary unmute on input (PTT)
5	Increment output gain 1 dB	15	Analog crosspoint gain control
6	Decrement output gain 1 dB	16	Increment crosspoint gain 1 dB
7	Recall preset from memory	17	Decrement crosspoint gain 1 dB
8	Toggle mute on input	18	Run macros on close
9	Toggle mute on output	19	Run macros on close/open

- The choice of function determines what happens when the programmable input is **asserted**. The choice of function affects the interpretation of the subsequent values in the array, which identify the **target** of the function.
NOTE: Functions which control matrix crosspoints are limited to affecting a group of crosspoints that are members of a single **row** of the matrix. A row consists of all crosspoints associated with one particular **input** channel.

NOTE: All gain changes made by programmable input functions affect **rear panel** gain only.

- The **remaining** values specify the **target** of the function. These values are simply a list of one or more integers which identifies the thing(s) that are controlled by the function. The interpretation of the target values depends on the function that is assigned:

Function	Target values
Analog input gain control	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Increment input gain 1 dB	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Decrement input gain 1 dB	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Analog output gain control	A sequence of zero or more integers in the range 1 to 17. These identify which output channels are to be controlled by the function.
Increment output gain 1 dB	A sequence of zero or more integers in the range 1 to 17. These identify which output channels are to be controlled by the function.
Decrement output gain 1 dB	A sequence of zero or more integers in the range 1 to 17. These identify which output channels are to be controlled by the function.
Recall preset from memory	A single integer value in the range 1 to 24. This identifies which preset is to be recalled by the function.
Toggle mute on input	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Toggle mute on output	A sequence of zero or more integers in the range 1 to 17. These identify which output channels are to be controlled by the function.
Toggle mute on crosspoint	A single integer in the range 1 to 16, followed by a sequence of zero or more integers in the range 1 to 48. Together these values specify a group of crosspoints by identifying a single input channel and zero or more mix bus channels.
Momentary mute on input	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Momentary mute on output	A sequence of zero or more integers in the range 1 to 17. These identify which output channels are to be controlled by the function.
Momentary mute on crosspoint	A single integer in the range 1 to 16, followed by a sequence of zero or more integers in the range 1 to 48. Together these values specify a group of crosspoints by identifying a single input channel and zero or more mix bus channels.
Momentary unmute on input (PTT)	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Analog	A single integer in the range 1 to 16, followed by a sequence of zero

crosspoint gain control	or more integers in the range 1 to 48. Together these values specify a group of crosspoints by identifying a single input channel and zero or more mix bus channels.
Increment crosspoint gain 1 dB	A single integer in the range 1 to 16, followed by a sequence of zero or more integers in the range 1 to 48. Together these values specify a group of crosspoints by identifying a single input channel and zero or more mix bus channels.
Decrement crosspoint gain 1 dB	A single integer in the range 1 to 16, followed by a sequence of zero or more integers in the range 1 to 48. Together these values specify a group of crosspoints by identifying a single input channel and zero or more mix bus channels.
Run macro on close	A single integer value in the range 1 to 256. This identifies which macro is to be run by the function when the programmable input is asserted.
Run macros on close/open	Two integer values in the range 1 to 256. The first identifies which macro is to be run by the function when the programmable input is asserted. The second identifies which macro is to be run when the programmable input is subsequently de-asserted.

Examples:

	REQUEST	RESPONSE
QUERY	<code>prgindex(9)?<CR></code>	<code>OK {1,2,3}<CRLF></code> (Function "Analog input gain control" is assigned to programmable input 9. The input channels under control are 2 and 3.)
QUERY	<code>prgindex(2)?<CR></code>	<code>OK {14,22}<CRLF></code> (Function "Run a macro" is assigned to programmable input 2. Macro number 22 will be run if the programmable input is asserted.)
QUERY	<code>prgindex(3)?<CR></code>	<code>OK {13,3,1,7,8}<CRLF></code> (Function "Momentary mute on crosspoint" is assigned to programmable input 3. The crosspoints under control are {3,1}, {3,7}, and {3,8}, which are members of the matrix row associated with input channel 3.)
QUERY	<code>prgindex(4)?<CR></code>	<code>OK {0}<CRLF></code> (No function is assigned to programmable input 4.)
UPDATE	<code>prgindex(11)={7,5}<CR></code>	<code>OK<CRLF></code>

	(Function "Recall preset from memory" is assigned to programmable input 11. The preset to be recalled is specified as number 5.)	
UPDATE	<code>prgindex(2)={8,1,2,4,5,6}<CR></code> (Function "Toggle mute on input" is assigned to programmable input 2. The inputs to be controlled are specified as 1, 2, 4, 5, and 6.)	OK<CRLF>
UPDATE	<code>prgindex(4)={0}<CR></code> ("No function" is assigned to programmable input 4, so that asserting it will have no effect.)	OK<CRLF>
UPDATE	<code>prgindex(1)={10,5,9,10}<CR></code> (Function "Toggle mute on crosspoint" is assigned to programmable input 1. The crosspoints to be controlled are specified as {5,9} and {5,10}, which are members of the matrix row associated with input channel 5.)	OK<CRLF>

prginundef (programmable input un-definition)

This command may be used as an update to **un-define** one or more programmable inputs, meaning that it no longer has any function assigned to it. The data type is array of integer, with a variable length. The values contained in the array represent the address of a programmable input to be un-defined, in the range 1 to 30.

Example:

	REQUEST	RESPONSE
UPDATE	<code>prginundef={3,4,5}<CR></code> (Programmable inputs 3, 4, and 5 will be un-defined.)	OK<CRLF>

prgout (programmable output state)

This command may be used as a query to read a programmable output state, or as an update to set the state. The programmable output is specified by using the address syntax. Addresses must be in the range 1 to 16. The data type is integer, with the value either "1", meaning that the output is active, or "0" meaning that it is not. If the channel address is wildcarded, then the data type is an array of integer of size 16. In this case the value **99** may be used to indicate that a particular programmable output state is to **remain unchanged** by the command. **Note:** a programmable output may be set with an update **only** if no function is assigned to it. If a function is assigned, the update attempt will be ignored.

Examples:

	REQUEST	RESPONSE
QUERY	<code>prgout(5)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>prgout(*)?<CR></code>	<code>OK {0,0,1,...,0,0,0}<CRLF></code>
UPDATE	<code>prgout(2)=1<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>prgout(*)={0,1,1,...,99,99,99}<CR></code>	<code>OK<CRLF></code>

prgoutdef (programmable output definition)

This command may be used as a query to read a programmable output definition, or as an update to modify the definition. The programmable output is specified by using the address syntax. Addresses must be in the range 1 to 16. The data type is array of integer, with a variable length. The values contained in the array represent the definition of a programmable output, using the following scheme:

- The **first** integer is a code that specifies the **function** that is assigned to the programmable output. It may be in the range 0 to 9, with the following meanings:

Code	Function	Code	Function
0	No function assigned	5	Monitor CODEC1 interface
1	Monitor audio input activity	6	Monitor CODEC2 interface
2	Monitor programmable input state	7	Monitor PA status
3	Monitor active preset	8	Monitor hardware status
4	Monitor TEL interface	9	Monitor virtual programmable input state (<i>firmware versions 1.4.0 and higher</i>)

- The choice of function determines what conditions or events control the state of the programmable output. The choice of function affects the interpretation of the subsequent values in the array, which identify the event **source** which is monitored by the function.
- The **remaining** values specify the **source** of the function. These values are simply a list of one or more integers which identifies the thing(s) that are controlled by the function. The interpretation of the source values depends on the function that is assigned:

Function	Target values
Monitor audio input activity	A single integer in the range 1 to 49, followed by a sequence of zero or more integers in the range 1 to 16. The first identifies which mix

	bus channel (NOM bus) is to be referenced by the function. The special value 49 has the meaning "ANY Mix Bus Channel". The integers that follow identify the audio input channels that are to be monitored.
Monitor programmable input state	A single integer in the range 1 to 30. This identifies which programmable input is monitored by the function.
Monitor active preset	A sequence of zero or more integers in the range 1 to 24. These identify which presets are to be monitored by the function.
Monitor TEL interface	A single integer in the range 1 to 3. This is a code identifying which interface feature will be monitored by the function. 1 - Connection status. 2 - Privacy status. 3 - Ring detect status.
Monitor CODEC1 interface	A single integer in the range 1 to 2. This is a code identifying which interface feature will be monitored by the function. 1 - Connection status. 2 - Privacy status.
Monitor CODEC2 interface	A single integer in the range 1 to 2. This is a code identifying which interface feature will be monitored by the function. 1 - Connection status. 2 - Privacy status.
Monitor PA status	No target values necessary, the programmable output will become active if a power amplifier output fault condition is detected.
Monitor hardware status	No target values necessary, the programmable output will become active if a fan fault or over-temperature condition is detected, or the real time clock battery is low.
Monitor virtual programmable input state	A single integer in the range 1 to 30. This identifies which virtual programmable input is monitored by the function. <i>Available in firmware versions 1.4.0 and higher.</i>

Examples:

	REQUEST	RESPONSE
QUERY	<code>prgoutdef (8) ? <CR></code>	<code>OK { 3 , 1 , 3 , 4 } <CRLF></code> (Function "Monitor active preset" is assigned to programmable output 9. The presets being monitored are 1, 3, and 4.)
QUERY	<code>prgoutdef (1) ? <CR></code>	<code>OK { 2 , 3 } <CRLF></code> (Function "Monitor programmable input state" is assigned to programmable output 1. The logical

		state of programmable input 3 is being monitored.)
QUERY	<code>prgoutdef (3) ? <CR></code>	<code>OK { 1 , 3 , 2 , 3 } <CRLF></code> (Function "Monitor audio input activity" is assigned to programmable input 3. The mix bus being referenced is channel 3, and the audio inputs being monitored for activity are channels 2 and 3.)
UPDATE	<code>prgoutdef (1) = { 2 , 5 } <CR></code> (Function "Monitor programmable input state" is assigned to programmable output 1. The programmable input being monitored is specified as number 5.)	<code>OK <CRLF></code>
UPDATE	<code>prgoutdef (2) = { 3 , 1 , 2 , 4 } <CR></code> (Function "Monitor active preset" is assigned to programmable output 2. The presets to be monitored are specified as 1, 2, and 4.)	<code>OK <CRLF></code>
UPDATE	<code>prgoutdef (4) = { 0 } <CR></code> ("No function" is assigned to programmable output 4, so that it will become inactive.)	<code>OK <CRLF></code>
UPDATE	<code>prgoutdef (1) = { 1 , 5 , 2 , 3 } <CR></code> (Function "Monitor audio input activity" is assigned to programmable output 1. The mix bus being referenced is channel 5, and the audio inputs to be monitored are channels 2 and 3.)	<code>OK <CRLF></code>

prgoutht (programmable output channel activity hold time)

This command may be used as a query to read the hold time, or as an update to set it. The data type is integer, in the range 1 to 255, representing the hold time in one tenth second increments.

Examples:

	REQUEST	RESPONSE
QUERY	<code>prgoutht? <CR></code>	<code>OK 4 <CRLF></code>
UPDATE	<code>prgoutht=10 <CR></code>	<code>OK <CRLF></code>

prgoutiv (programmable output invert)

This command may be used as a query to read the programmable output invert status, or as an update to set the status. The programmable output is specified by using the address syntax. Addresses must be in the range 1 to 16. The data type is integer, either "1" meaning that the programmable output is inverted (contacts **open** when asserted), or "0" meaning that it is not (contacts **closed** when asserted, the normal case). If the address is wildcarded, then the data type is an array of integer of size 16. In this case the value **99** may be used in an update to indicate that a particular programmable output invert state is to **remain unchanged** by the command.

Examples:

	REQUEST	RESPONSE
QUERY	<code>prgoutiv(3)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>prgoutiv(*)?<CR></code>	<code>OK {0,1,0,...,0,0,0}<CRLF></code>
UPDATE	<code>prgoutiv(2)=1<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>prgoutiv(*)={0,0,1,...,99,99,99}<CR></code>	<code>OK<CRLF></code>

prgoutpl (programmable output pulse)

This command may be used to generate one or more pulses on a programmable output. A single pulse may be generated by using the command form. The programmable output is specified by using the address syntax. Addresses must be in the range 1 to 16. More than one pulse may be generated with a single command by using the update form. In this case the data type is integer, with a value in the range 1 - 255. For each pulse, programmable output will change state for approximately 300 msec, then return to the original state. A train of consecutive pulses will have a 50% duty cycle. **Note:** a programmable output may be pulsed **only** if no function is assigned to it. If a function is assigned, the command will be ignored.

The multiple pulse option is available in firmware versions 1.4.4 and higher.

Examples:

	REQUEST	RESPONSE
COMMAND	<code>prgoutpl(5)<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>prgoutpl(5)=3<CR></code>	<code>OK<CRLF></code>

prgoutqt (programmable output channel activity qualification time)

This command may be used as a query to read the qualification time, or as an update to set it. The data type is integer, in the range 1 to 255, representing the qualification time in one tenth second increments.

Examples:

	REQUEST	RESPONSE
QUERY	<code>prgoutqt?<CR></code>	<code>OK 4<CRLF></code>
UPDATE	<code>prgoutqt=10<CR></code>	<code>OK<CRLF></code>

vprgin (virtual programmable input state)

This command may be used to simulate a **momentary** contact closure on a virtual programmable input or as a query to read the state of virtual programmable inputs. The virtual programmable input is specified by using the address syntax. Addresses must be in the range 1 to 30. **Note:** simulated contact closures have no effect for programmable inputs configured for **analog gain control**. The data type returned by queries is integer, with the possible values depending on the nature of the function assigned to the programmable input. For **analog gain control** functions the values are the range 0 to 255, representing the voltage sensed by the programmable input (0 is 0 volts, 255 is 5 volts). For all other functions the value is either "1", meaning that the input is active (closed), or "0" meaning that it is not (open). The channel address may be wildcarded in queries, in which case the data type is an array of integer of size 30.

Examples:

	REQUEST	RESPONSE
COMMAND	<code>vprgin(11)<CR></code>	<code>OK<CRLF></code>
QUERY	<code>vprgin(9)?<CR></code>	<code>OK 1<CRLF></code>
QUERY	<code>vprgin(*)?<CR></code>	<code>OK {0,0,1,...,0,0,0}<CRLF></code>

vprgindef (virtual programmable input definition)

This command may be used as a query to read a virtual programmable input definition, or as an update to modify the definition. The virtual programmable input is specified by using the address syntax. Addresses must be in the range 1 to 30. The data type is array of integer, with a variable length. The values contained in the array represent the definition of a virtual programmable input, using the following scheme:

- The **first** integer is a code that specifies the **function** that is assigned to the programmable input. It may be in the range 0 to 16, with the following meanings:

Code	Function	Code	Function
0	No function assigned	10	Toggle mute on crosspoint
1	Analog input gain control	11	Momentary mute on input
2	Increment input gain 1 dB	12	Momentary mute on output
3	Decrement input gain 1 dB	13	Momentary mute on crosspoint
4	Analog output gain control	14	Momentary unmute on input (PTT)
5	Increment output gain 1 dB	15	Analog crosspoint gain control
6	Decrement output gain 1 dB	16	Increment crosspoint gain 1 dB
7	Recall preset from memory	17	Decrement crosspoint gain 1 dB
8	Toggle mute on input	18	Run macros on close
9	Toggle mute on output	19	Run macros on close/open

- The choice of function determines what happens when the virtual programmable input is **asserted**. The choice of function affects the interpretation of the subsequent values in the array, which identify the **target** of the function.
NOTE: Functions which control matrix crosspoints are limited to affecting a group of crosspoints that are members of a single **row** of the matrix. A row consists of all crosspoints associated with one particular **input** channel.
NOTE: All gain changes made by programmable input functions affect **rear panel** gain only.
- The **remaining** values specify the **target** of the function. These values are simply a list of one or more integers which identifies the thing(s) that are controlled by the function. The interpretation of the target values depends on the function that is assigned:

Function	Target values
Analog input gain control	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Increment input gain 1 dB	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Decrement input gain 1 dB	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Analog output gain control	A sequence of zero or more integers in the range 1 to 17. These identify which output channels are to be controlled by the function.
Increment output gain 1 dB	A sequence of zero or more integers in the range 1 to 17. These identify which output channels are to be controlled by the function.
Decrement output gain 1 dB	A sequence of zero or more integers in the range 1 to 17. These identify which output channels are to be controlled by the function.

Recall preset from memory	A single integer value in the range 1 to 24. This identifies which preset is to be recalled by the function.
Toggle mute on input	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Toggle mute on output	A sequence of zero or more integers in the range 1 to 17. These identify which output channels are to be controlled by the function.
Toggle mute on crosspoint	A single integer in the range 1 to 8, followed by a sequence of zero or more integers in the range 1 to 48. Together these values specify a group of crosspoints by identifying a single input channel and zero or more mix bus channels.
Momentary mute on input	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Momentary mute on output	A sequence of zero or more integers in the range 1 to 17. These identify which output channels are to be controlled by the function.
Momentary mute on crosspoint	A single integer in the range 1 to 16, followed by a sequence of zero or more integers in the range 1 to 48. Together these values specify a group of crosspoints by identifying a single input channel and zero or more mix bus channels.
Momentary unmute on input (PTT)	A sequence of zero or more integers in the range 1 to 16. These identify which input channels are to be controlled by the function.
Analog crosspoint gain control	A single integer in the range 1 to 16, followed by a sequence of zero or more integers in the range 1 to 48. Together these values specify a group of crosspoints by identifying a single input channel and zero or more mix bus channels.
Increment crosspoint gain 1 dB	A single integer in the range 1 to 16, followed by a sequence of zero or more integers in the range 1 to 48. Together these values specify a group of crosspoints by identifying a single input channel and zero or more mix bus channels.
Decrement crosspoint gain 1 dB	A single integer in the range 1 to 16, followed by a sequence of zero or more integers in the range 1 to 48. Together these values specify a group of crosspoints by identifying a single input channel and zero or more mix bus channels.
Run macro on close	A single integer value in the range 1 to 256. This identifies which macro is to be run by the function when the programmable input is asserted.
Run macros on close/open	Two integer values in the range 1 to 256. The first identifies which macro is to be run by the function when the programmable input is asserted. The second identifies which macro is to be run when the programmable input is subsequently de-asserted.

Examples:

	REQUEST	RESPONSE
QUERY	<code>vprgindex(9)?<CR></code>	<code>OK {1,2,3}<CRLF></code> (Function "Analog input gain control" is assigned to programmable input 9. The input channels under control are 2 and 3.)
QUERY	<code>vprgindex(2)?<CR></code>	<code>OK {14,22}<CRLF></code> (Function "Run a macro" is assigned to programmable input 2. Macro number 22 will be run if the programmable input is asserted.)
QUERY	<code>vprgindex(3)?<CR></code>	<code>OK {13,3,1,7,8}<CRLF></code> (Function "Momentary mute on crosspoint" is assigned to programmable input 3. The crosspoints under control are {3,1}, {3,7}, and {3,8}, which are members of the matrix row associated with input channel 3.)
QUERY	<code>vprgindex(4)?<CR></code>	<code>OK {0}<CRLF></code> (No function is assigned to programmable input 4.)
UPDATE	<code>vprgindex(11)={7,5}<CR></code> (Function "Recall preset from memory" is assigned to programmable input 11. The preset to be recalled is specified as number 5.)	<code>OK<CRLF></code>
UPDATE	<code>vprgindex(2)={8,1,2,3}<CR></code> (Function "Toggle mute on input" is assigned to programmable input 2. The inputs to be controlled are specified as 1, 2, and 3)	<code>OK<CRLF></code>
UPDATE	<code>vprgindex(4)={0}<CR></code> ("No function" is assigned to programmable input 4, so that asserting it will have no effect.)	<code>OK<CRLF></code>
UPDATE	<code>vprgindex(1)={10,5,9,10}<CR></code> (Function "Toggle mute on crosspoint" is assigned to programmable input 1. The crosspoints to be controlled are specified as {5,9} and {5,10}, which are members of the matrix row associated with input channel 5.)	<code>OK<CRLF></code>

vprginundef (virtual programmable input un-definition)

SPNTrio Command Set v1.5

This command may be used as an update to **un-define** one or more virtual programmable inputs, meaning that it no longer has any function assigned to it. The data type is array of integer, with a variable length. The values contained in the array represent the address of a virtual programmable input to be un-defined, in the range 1 to 30.

Example:

	REQUEST	RESPONSE
UPDATE	<code>vprginundef={3,4,5}<CR></code> (Virtual programmable inputs 3, 4, and 5 will be un-defined.)	<code>OK<CRLF></code>

SPNTrio Rear Panel Control Commands

rpingn	Rear panel audio input gain
rpingnmin	Rear panel audio input gain minimum
rpingnpre	Rear panel audio input gain preset
rpingnr	Rear panel audio input gain ramp
rpingnst	Rear panel audio input gain step
rpoutgn	Rear panel audio output gain
rpoutgnmin	Rear panel audio output gain minimum
rpoutgnpre	Rear panel audio output gain preset
rpoutgnr	Rear panel audio output gain ramp
rpoutgnst	Rear panel audio output gain step
rpsave	Save rear panel settings
rprest	Restore rear panel settings
rpxpgn	Rear panel matrix crosspoint gain
rpxpgnr	Rear panel matrix crosspoint gain ramp
rpxpgnst	Rear panel matrix crosspoint gain step

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK !ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

rpingn (rear panel audio input gain)

This command may be used as a query to read the rear panel input gain, or as an update to set the rear panel gain. The input channel or [input group](#) is specified by using the address syntax. Addresses for input channels must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for input groups must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The

data type is integer, in the range -61 to 0, representing the gain in dB (the feature acts as an *attenuator*), where -61 has the special meaning "Off". The actual allowable range of values is determined by the [gain minimum](#) value. If the value sent in an update request is less than the gain minimum or greater than 0, it is ignored (no change is made). If the channel address is wildcarded, then the data type is an array of integer of size 16. In this case the value **99** may be used in an update to indicate that a particular rear panel input gain is to **remain unchanged** by the command. An input group is updated with a single gain value which is applied to all members of the group. The response to a input group query or *verbose* update is an array of integer of size 16, containing the gain values for *all* input channels, not just those in the group.

Examples:

	REQUEST	RESPONSE
QUERY	<code>rpingn(1)?<CR></code>	<code>OK -3<CRLF></code>
QUERY	<code>rpingn(101)?<CR></code>	<code>OK {-3,-4,...,0,0}<CRLF></code>
QUERY	<code>rpingn(*)?<CR></code>	<code>OK {-3,-4,...,0,0}<CRLF></code>
UPDATE	<code>rpingn(2)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>rpingn(101)=0<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>rpingn(*)={0,-5,...,99,99}<CR></code>	<code>OK<CRLF></code>

rpingnmin (rear panel audio input gain minimum)

This command may be used as a query to read the rear panel input gain minimum, or as an update to set the gain minimum. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). The data type is integer, in the range -61 to 0, representing the minimum gain in dB (i.e. the maximum *attenuation* possible using rear panel gain control). If the channel address is wildcarded, then the data type is an array of integer of size 16. The value -61 has the special meaning "Off", or infinite attenuation.

Note: The input gain minimum value also applies to *matrix crosspoint* rear panel gain control. Each value sets the gain minimum for all crosspoints in the crosspoint matrix *row* to which that input channel corresponds.

Examples:

	REQUEST	RESPONSE
QUERY	<code>rpingnmin(2)?<CR></code>	<code>OK -30<CRLF></code>
QUERY	<code>rpingnmin(*)?<CR></code>	<code>OK {-30,-30,...,-30,-30}<CRLF></code>
UPDATE	<code>rpingnmin(3)=-15<CR></code>	<code>OK<CRLF></code>

UPDATE	<code>rpingsnmin(*)={-15,-15,...,-15,-15}<CR></code>	OK<CRLF>
--------	--	----------

rpingsnpre (rear panel audio input gain preset)

This command may be used as a query to read the rear panel input gain preset, or as an update to set the gain preset. The input channel is specified by using the address syntax. Addresses must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). The data type is integer, in the range -61 to 0, representing gain in dB. If the channel address is wildcarded, then the data type is an array of integer of size 16. The value -61 has the special meaning "Off", or infinite attenuation. For each input channel controlled by a contact closure (increment/decrement gain 1dB functions) this value is used to initialize the rear panel gain when the device is powered up.

Note: The input gain preset value also applies to *matrix crosspoint* rear panel gain control. Each value sets the gain preset for all crosspoints in the crosspoint matrix *row* to which that input channel corresponds. This setting has no effect for input channels or matrix crosspoints using analog (potentiometer) rear panel gain control.

Examples:

	REQUEST	RESPONSE
QUERY	<code>rpingsnpre(3)?<CR></code>	OK -10<CRLF>
QUERY	<code>rpingsnpre(*)?<CR></code>	OK {-10,-10,...,0,0}<CRLF>
UPDATE	<code>rpingsnpre=-10<CR></code>	OK<CRLF>
UPDATE	<code>rpingsnpre(*)={-10,-10,...,0,0}<CR></code>	OK<CRLF>

rpingsnr (rear panel input gain ramp)

This command is available in firmware versions 1.5.0 and higher.

This command is used as an update to start a ramp of rear panel gain at the rate specified, either up or down. The input channel or [input group](#) is specified by using the address syntax. Addresses for input channels must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for input groups must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a fixed length of 2. The values contained in the array represent the ramp *rate* and *gain limit* as follows:

- The **first** integer specifies the ramp *rate* in dB per second and must be in the range -6 to +6. A positive value indicates an upward gain ramp and a negative value indicates a downward gain ramp. The special value **0** stops a gain ramp in progress.
- The **second** integer specifies the ramp *gain limit* in dB, which is the point at which the ramp stops. It must be in the range -61 to 0, where -61 has the special meaning "Off". The actual allowable range of values is determined by the [gain minimum](#) value. If the value sent in an update request is less than the gain minimum value it is forced to the gain minimum value. If the current rear panel gain for the channel already equals or exceeds the gain limit then the command has no effect. *Not present if ramp rate is 0.*

The special array value {0} is used to stop a gain ramp currently in progress on an input channel or group of input channels.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>rpingnr(2)={-1,-30}<CR></code> (start downward rp gain ramp on channel 2 at 1dB/sec rate, stop at -30dB)	OK<CRLF>
UPDATE	<code>rpingnr(2)={0}<CR></code> (stop rp gain ramp on channel 2)	OK<CRLF>
UPDATE	<code>rpingnr(101)={2,0}<CR></code> (start upward rp gain ramp on members of group 101 at 2dB/sec rate, stop at 0dB)	OK<CRLF>

rpingnst (rear panel input gain step change)

This command is used as an update to step the gain by the amount specified, either up or down. The input channel or [input group](#) is specified by using the address syntax. Addresses for input channels must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for input groups must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The data type is integer, in the range -6 to +6, representing the gain step in dB. If the channel address is wildcarded, then the data type is an array of integer of size 16. A positive value increments the gain, a negative value decrements the gain. An input group is updated with a single gain step value which is applied to all members of the group. The response to a input group *verbose* update is an array of integer of size 16, containing the gain values for *all* input channels, not just those in the group.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>rpingnst(2)=-2<CR></code>	OK<CRLF>
UPDATE	<code>rpingnst(101)=-2<CR></code>	OK<CRLF>

UPDATE	<code>rpingnst(*)={-2,-2,...,-2,-2}<CR></code>	OK<CRLF>
--------	--	----------

rpoutgn (rear panel audio output gain)

This command may be used as a query to read the rear panel output gain, or as an update to set the rear panel gain. The output channel or [output group](#) is specified by using the address syntax. Addresses for output channels must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). Addresses for output groups must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The data type is integer, in the range -61 to 0, representing the gain in dB (the feature acts as an *attenuator*), where -61 has the special meaning "Off". The actual allowable range of values is determined by the [gain minimum](#) value. If the value sent in an update request is less than the gain minimum or greater than 0, it is ignored (no change is made). If the channel address is wildcarded, then the data type is an array of integer of size 17. In this case the value **99** may be used in an update to indicate that a particular rear panel output gain is to **remain unchanged** by the command. An output group is updated with a single gain value which is applied to all members of the group. The response to an output group query or *verbose* update is an array of integer of size 17, containing the gain values for *all* output channels, not just those in the group.

Examples:

	REQUEST	RESPONSE
QUERY	<code>rpoutgn(1)?<CR></code>	OK -3<CRLF>
QUERY	<code>rpoutgn(101)?<CR></code>	OK {-9,-4,...0,0}<CRLF>
QUERY	<code>rpoutgn(*)?<CR></code>	OK {-9,-4,0,0,0}<CRLF>
UPDATE	<code>rpoutgn(2)=0<CR></code>	OK<CRLF>
UPDATE	<code>rpoutgn(101)=0<CR></code>	OK<CRLF>
UPDATE	<code>rpoutgn(*)={0,-5,-5,-10,-10}<CR></code>	OK<CRLF>

rpoutgnmin (rear panel audio output gain minimum)

This command may be used as a query to read the rear panel output gain minimum, or as an update to set the gain minimum. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, in the range -61 to 0, representing the minimum gain in dB (i.e. the maximum *attenuation* possible using rear panel gain control). If the channel address is wildcarded, then the data type is an array of integer of size 17. The value -61 has the special meaning "Off", or infinite attenuation.

Examples:

	REQUEST	RESPONSE
QUERY	<code>rpoutgnmin(5)?<CR></code>	<code>OK -30<CRLF></code>
QUERY	<code>rpoutgnmin(*)?<CR></code>	<code>OK {-30,-30,-30,-60,-60}<CRLF></code>
UPDATE	<code>rpoutgnmin(3)=-15<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>outgnmin(*)={-30,-30,-30,-60,-60}<CR></code>	<code>OK<CRLF></code>

rpoutgnpre (rear panel audio output gain preset)

This command may be used as a query to read the rear panel output gain preset, or as an update to set the gain preset. The output channel is specified by using the address syntax. Addresses must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). The data type is integer, in the range -61 to 0, representing gain in dB. If the channel address is wildcarded, then the data type is an array of integer of size 17. The value -61 has the special meaning "Off", or infinite attenuation. For each output channel controlled by a contact closure (increment/decrement gain 1dB functions) this value is used to initialize the rear panel gain when the device is powered up. **Note:** this setting has no effect for output channels using analog (potentiometer) rear panel gain control.

Examples:

	REQUEST	RESPONSE
QUERY	<code>rpoutgnpre(1)?<CR></code>	<code>OK 0<CRLF></code>
QUERY	<code>rpoutgnpre(*)?<CR></code>	<code>OK {-10,-10,-10,0,0}<CRLF></code>
UPDATE	<code>rpoutgnpre(1)=-10<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>rpoutgnpre(*)={-10,-10,-10,0,0,0}<CR></code>	<code>OK<CRLF></code>

rpoutgnr (rear panel output gain ramp)

This command is available in firmware versions 1.5.0 and higher.

This command is used as an update to start a ramp of rear panel gain at the rate specified, either up or down. The output channel or [output group](#) is specified by using the address syntax. Addresses for output channels must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). Addresses for output groups must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a fixed length of 2. The values contained in the array represent the ramp *rate* and *gain limit* as follows:

- The **first** integer specifies the ramp *rate* in dB per second and must be in the range -6 to +6. A positive value indicates an upward gain ramp and a negative value indicates a downward gain ramp. The special value **0** stops a gain ramp in progress.
- The **second** integer specifies the ramp *gain limit* in dB, which is the point at which the ramp stops. It must be in the range -61 to 0, where -61 has the special meaning "Off". The actual allowable range of values is determined by the [gain minimum](#) value. If the value sent in an update request is less than the gain minimum value it is forced to the gain minimum value. If the current rear panel gain for the channel already equals or exceeds the gain limit then the command has no effect. *Not present if ramp rate is 0.*

The special array value {0} is used to stop a gain ramp currently in progress on an input channel or group of output channels.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>rpoutgnr(2)={-1,-30}<CR></code> (start downward rp gain ramp on channel 2 at 1dB/sec rate, stop at -30dB)	OK<CRLF>
UPDATE	<code>rpoutgnr(2)={0}<CR></code> (stop rp gain ramp on channel 2)	OK<CRLF>
UPDATE	<code>rpoutgnr(101)={2,0}<CR></code> (start upward rp gain ramp on members of group 101 at 2dB/sec rate, stop at 0dB)	OK<CRLF>

rpoutgnst (rear panel output gain step change)

This command is used as an update to step the gain by the amount specified, either up or down. The output channel or [output group](#) is specified by using the address syntax. Addresses for output channels must be in the range 1 to 17 (applies to all, line outputs 1 - 12, conferencing outputs 13 - 15 and PA outputs 16 - 17). Addresses for output groups must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher). The data type is integer, in the range -6 to +6, representing the gain step in dB. If the channel address is wildcarded, then the data type is an array of integer of size 17. A positive value increments the gain, a negative value decrements the gain. An output group is updated with a single gain step value which is applied to all members of the group. The response to an output group *verbose* update is an array of integer of size 17, containing the gain values for *all* output channels, not just those in the group.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>rpoutgnst(2)=-2<CR></code>	OK<CRLF>

UPDATE	<code>rpoutgnst(101)=-2<CR></code>	OK<CRLF>
UPDATE	<code>rpoutgnst(*)={-2,-2,-2,-2,-2}<CR></code>	OK<CRLF>

rpreset (restore rear panel settings)

This command may be used to restore the state of rear panel settings previously saved with the [rpsave](#) command. If used as a simple command, all rear panel settings are overwritten with the saved values. If used as an update, the data type is an integer whose value serves as a mask which specifies which settings are restored and which are not. This mask has the same format as the [preset mask](#).

Examples:

	REQUEST	RESPONSE
COMMAND	<code>rpreset<CR></code>	OK<CRLF>
UPDATE	<code>rpreset=1<CR></code>	OK<CRLF>

rpsave (save rear panel settings)

This command may be used to save the current rear panel settings so that they can be restored at some future time by use of the [rpreset](#) command. In this way a "snapshot" of the current rear panel gain and mute settings can be taken prior to some temporary reconfiguration of the device.

Example:

	REQUEST	RESPONSE
COMMAND	<code>rpsave<CR></code>	OK<CRLF>

rpypgn (rear panel crosspoint gain)

This command is available in firmware versions 1.3.0 and higher.

This command may be used as a query to read the rear panel crosspoint gain, or as an update to set the gain. The crosspoint is specified by using the 2 dimensional address syntax, or a [crosspoint group](#) can be specified using a 1 dimensional address.

In the 2 dimensional case, addresses for the first dimension (input channel) must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for the second dimension (mix bus) must be in the range 1 to 48, or wildcarded.

If the input is wildcarded, then the command applies to the entire *column* of the matrix associated with the specified mix bus. If the output is wildcarded, then the command applies to the entire *row* of the matrix associated with the specified input channel. It is also possible to specify a subset of either the first dimension (input channels) or the second dimension (mix buses), **but not both**, using the range operator ':' (colon character). For example, address (3:5,7) refers to 3 crosspoints: (3,7), (4,7) and (5,7). Address (5,7:10) refers to 4 crosspoints: (5,7), (5,8), (5,9) and (5,10). **Note:** when one dimension is specified as a range, the other may **not** be wildcarded.

In the 1 dimensional case, addresses must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher).

The data type is integer, in the range -61 to 0, representing the gain in dB (the feature acts as an *attenuator*), where -61 has the special meaning "Off". If an entire column is being transmitted then the data type is array of integer of size 16. If an entire row is being transmitted then the data type is array of integer of size 48. In these cases the value **99** may be used in an update to indicate that a particular crosspoint gain is to **remain unchanged** by the command. A crosspoint group is updated with a single gain value which is applied to all members of the group. The response to a crosspoint group query or *verbose* update is an array of size 48 if the group has been defined as a *Row* type, or an array of size 16 if it has been defined as a *Column* type. The array contains the gain values for *all* crosspoints in the row or column, not just those in the group.

Examples:

	REQUEST	RESPONSE
QUERY	<code>rp xp gn (1 , 7) ? < CR ></code>	<code>OK -3 < CRLF ></code>
QUERY	<code>rp xp gn (101) ? < CR ></code>	<code>OK { 0 , 3 , 0 , . . . 0 , 0 , 0 } < CRLF ></code>
QUERY	<code>rp xp gn (* , 1) ? < CR ></code>	<code>OK { 0 , 3 , 0 , . . . 0 , 0 , 0 } < CRLF ></code>
QUERY	<code>rp xp gn (1 , *) ? < CR ></code>	<code>OK { 0 , 3 , 0 , . . . 0 , 0 , 0 } < CRLF ></code>
QUERY	<code>rp xp gn (1 : 3 , 7) ? < CR ></code>	<code>OK { 0 , 3 , 0 } < CRLF ></code>
QUERY	<code>rp xp gn (1 , 10 : 15) ? < CR ></code>	<code>OK { 0 , 3 , 0 , 0 , 0 , 0 } < CRLF ></code>
UPDATE	<code>rp xp gn (5 , 2) = 5 < CR ></code>	<code>OK < CRLF ></code>
UPDATE	<code>rp xp gn (101) = 5 < CR ></code>	<code>OK < CRLF ></code>
UPDATE	<code>rp xp gn (* , 5) = { 0 , 5 , 3 , . . . 99 , 99 , 99 } < CR ></code>	<code>OK < CRLF ></code>
UPDATE	<code>rp xp gn (5 , *) = { 0 , 5 , 3 , . . . 99 , 99 , 99 } < CR ></code>	<code>OK < CRLF ></code>
UPDATE	<code>rp xp gn (1 : 3 , 7) = { 0 , 5 , 3 } < CR ></code>	<code>OK < CRLF ></code>
UPDATE	<code>rp xp gn (1 , 10 : 15) = { 0 , 5 , 3 , 0 , 0 , 0 } < CR ></code>	<code>OK < CRLF ></code>

rpjpgnr (rear panel crosspoint gain ramp)

This command is available in firmware versions 1.5.0 and higher.

This command is used as an update to start a ramp of rear panel gain at the rate specified, either up or down. The crosspoint is specified by using the 2 dimensional address syntax, or a [crosspoint group](#) can be specified using a 1 dimensional address. In the 2 dimensional case, addresses for the first dimension (input channel) must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for the second dimension (mix bus) must be in the range 1 to 48. In the 1 dimensional case, addresses must be in the range 101 to 105 (there are 5 groups). The data type is array of integer, with a fixed length of 2. The values contained in the array represent the ramp *rate* and *gain limit* as follows:

- The **first** integer specifies the ramp *rate* in dB per second and must be in the range -6 to +6. A positive value indicates an upward gain ramp and a negative value indicates a downward gain ramp. The special value **0** stops a gain ramp in progress.
- The **second** integer specifies the ramp *gain limit* in dB, which is the point at which the ramp stops. It must be in the range -61 to 0, where -61 has the special meaning "Off". The actual allowable range of values is determined by the [gain minimum](#) value. If the value sent in an update request is less than the gain minimum value it is forced to the gain minimum value. If the current rear panel gain for the channel already equals or exceeds the gain limit then the command has no effect. *Not present if ramp rate is 0.*

The special array value {0} is used to stop a gain ramp currently in progress on a crosspoint or group of crosspoints.

Examples:

	REQUEST	RESPONSE
UPDATE	rpjpgnr(2,3)={-1,-30}<CR> (start downward rp gain ramp on crosspoint 2,3 at 1dB/sec rate, stop at -30dB)	OK<CRLF>
UPDATE	rpjpgnr(2,3)={0}<CR> (stop rp gain ramp on crosspoint 2,3)	OK<CRLF>
UPDATE	rpjpgnr(101)={2,0}<CR> (start upward rp gain ramp on members of group 101 at 2dB/sec rate, stop at 0dB)	OK<CRLF>

rpjpgnst (rear panel crosspoint gain step change)

This command is available in firmware versions 1.3.0 and higher.

This command is used as an update to step the rear panel crosspoint gain by the amount specified, either up or down. The crosspoint is specified by using the 2 dimensional address syntax, or a [crosspoint group](#) can be specified using a 1 dimensional address.

In the 2 dimensional case, addresses for the first dimension (input channel) must be in the range 1 to 16 (applies to all, mic/line inputs 1 - 8, conferencing inputs 9 - 12 and test signal inputs 13 - 16). Addresses for the second dimension (mix bus) must be in the range 1 to 48, or wildcarded.

If the input is wildcarded, then the command applies to the entire *column* of the matrix associated with the specified mix bus. If the output is wildcarded, then the command applies to the entire *row* of the matrix associated with the specified input channel. It is also possible to specify a subset of either the first dimension (input channels) or the second dimension (mix buses), **but not both**, using the range operator ':' (colon character). For example, address (3:5,7) refers to 3 crosspoints: (3,7), (4,7) and (5,7). Address (5,7:10) refers to 4 crosspoints: (5,7), (5,8), (5,9) and (5,10). **Note:** when one dimension is specified as a range, the other may **not** be wildcarded.

In the 1 dimensional case, addresses must be in the range 101 to 105 (there are 5 groups, available in firmware versions 1.5.0 and higher).

The data type is integer, in the range -6 to +6, representing the gain step in dB. A positive value increments the gain, a negative value decrements the gain. If an entire column is being transmitted then the data type is array of integer of size 16. If an entire row is being transmitted then the data type is array of integer of size 48. A crosspoint group is updated with a single gain step value which is applied to all members of the group. The response to a crosspoint group *verbose* update is an array of size 48 if the group has been defined as a *Row* type, or an array of size 16 if it has been defined as a *Column* type. The array contains the gain values for *all* crosspoints in the row or column, not just those in the group.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>rpjpgnst(2,2)=2<CR></code>	OK<CRLF>
UPDATE	<code>rpjpgnst(101)=2<CR></code>	OK<CRLF>
UPDATE	<code>rpjpgnst(*,3)={2,2,2,...0,0,0}<CR></code>	OK<CRLF>
UPDATE	<code>rpjpgnst(3,*)={-1,-1,-1,...0,0,0}<CR></code>	OK<CRLF>
UPDATE	<code>rpjpgnst(3:8,12)={-1,-1,-1,-1,-1,-1}<CR></code>	OK<CRLF>
UPDATE	<code>rpjpgnst(3,5:8)={-1,-1,-1,-1}<CR></code>	OK<CRLF>

SPNTrio Macro Management & Related Commands

exit	Exit from macro
macro	Macro command
macroclr	Macro clear
macroti	Macro title
macrovrport	Macro verbose response port
ropmac	"Run on Powerup" macro
run	Run a macro
sendcmd	Send command to ASPEN device
sendstr	Send string to port
sleep	Suspend macro execution

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

exit (exit a macro)

This command may be used to exit a **macro**, usually from within a conditional (if-then-else) statement within the macro.

Example:

	REQUEST	RESPONSE
COMMAND	<code>exit<CR></code>	<code>OK<CRLF></code>

macro (macro command)

This command may be used as a query to read one command from a macro, or as an update to set a command. The command is specified by using the 2 dimensional address syntax. Addresses for the first dimension specify the macro and must be in the range 1 to 256. Addresses for the second dimension specify the index of the command within the macro and must be in the range 1 to 64. The data type is string, with a limit of 110 characters.

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `macro` command to read or write a ASPEN command that already contains double-quote characters, for example the command `desc="whatever"`, which contains the quoted string argument `"whatever"`. The solution is to **escape** the double quotes within `desc="whatever"` so that it can itself be passed as a string argument for the `macro` command. This is done by preceding the double-quote characters with a **backslash** character like this: `desc=\"whatever\"`. Now it can be passed as a string argument to the `macro` command: `macro(1,1)="desc=\"whatever\""`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so `"foo\bar"` would become `"foo\\bar"`. If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form `\xHH` where `HH` is any 2-digit hexadecimal number. The special escaped character forms `\r` (carriage return), `\n` (new line) and `\t` (tab) are also recognized.

Examples:

	REQUEST	RESPONSE
QUERY	<code>macro(1,3)?<CR></code>	<code>OK "ingn(3)=55"<CRLF></code>
QUERY	<code>macro(1,4)?<CR></code>	<code>OK "desc=\"Unit #1 East\""<CRLF></code>
UPDATE	<code>macro(12,50)="xpmt(2,10)=1"<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>macro(12,51)="desc=\"Classroom 17\""<CR></code>	<code>OK<CRLF></code>

macroclr (macro clear)

This command may be used to clear a macro. All lines in the macro will be erased. The macro is specified by using the address syntax. Addresses must be in the range 1 to 256.

Example:

	REQUEST	RESPONSE
--	---------	----------

COMMAND	<code>macroclr(3)<CR></code>	OK<CRLF>
---------	------------------------------------	----------

macroti (macro title)

This command may be used as a query to read the title of a macro, or as an update to set the title. The macro is specified by using the address syntax. Addresses must be in the range 1 to 256. The data type is string, with a limit of 30 characters.

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `macroti` command to read or write a string that already contains double-quote characters, for example: The "Hula" Room. The solution is to **escape** the double quotes within The "Hula" Room so that it can be passed as a string argument for the `macroti` command. This is done by preceding the double-quote characters with a **backslash** character like this: The \`"Hula"` Room. Now it can be passed as a string argument to the `macroti` command: `macroti(1,1)="The \"Hula" Room"`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so `"foo\bar"` would become `"foo\\bar"`. If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form `\xHH` where `HH` is any 2-digit hexadecimal number. The special escaped character forms `\r` (carriage return), `\n` (new line) and `\t` (tab) are also recognized.

Examples:

	REQUEST	RESPONSE
QUERY	<code>macroti(1)?<CR></code>	OK <code>"Sidebar nbr 2"</code> <CRLF>
UPDATE	<code>macroti(12)="Setup #3 West"<CR></code>	OK<CRLF>

macvrport (macro verbose response port)

This command may be used as a query to determine the default port for verbose responses generated by macro execution, or as an update to set the port. The data is an integer type with the following possible values:

- **1** - RS232 port
- **2** - TCP port 1
- **3** - TCP port 2 (*firmware versions 1.4.0 and higher*)

When commands are executed within a macro, the response to the command is normally discarded. However, if a command is prefixed with an exclamation point (bang) character (verbose mode), the response is sent to either the RS232 port or the TCP port to provide

feedback to 3rd party control systems connected to these ports. This command is used to control which port receives the responses to verbose mode commands contained in a macro.

Examples:

	REQUEST	RESPONSE
QUERY	<code>macvrport?<CR></code>	<code>OK 1<CRLF></code>
UPDATE	<code>macvrport=2<CR></code>	<code>OK<CRLF></code>

ropmac ("run on powerup" macro)

This command may be used as a query to determine the "run on powerup" macro for the SPNTrío. It may also be used as an update to set the macro. The data is an integer type in the range 0 to 256, where "0" has the special meaning "none".

Examples:

	REQUEST	RESPONSE
QUERY	<code>ropmac?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>ropmac=5<CR></code>	<code>OK<CRLF></code>

run (run a macro)

This command may be used to run a macro. A single macro may be run by using the command form. In this case the macro is specified by using the address syntax. Addresses must be in the range 1 to 256. More than one macro may be run with a single command by using the update form. In this case the data type is array of integer, with a variable length in the range 1 - 16. The values contained in the array specify which macros to run.

Examples:

	REQUEST	RESPONSE
COMMAND	<code>run(3)<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>run={1,3,5}<CR></code>	<code>OK<CRLF></code>

sendcmd (send command to ASPEN device)

This command may be used as an update to allow one ASPEN device in a multi-unit system to send a command to another device in the system. There are two possibilities:

- `sendcmd` is executed on the master device in a multi-unit system to send a command to one or all slave devices
- `sendcmd` is executed on a slave device in a multi-unit system to send a command to the master device

The target ASPEN device is specified by using the address syntax. It is a relative address, in the range 1 to N where N is the number of ASPEN devices in the system reported by the [aspencnt](#) command. The address may be wildcarded if `sendcmd` is executed on the master device, causing all slave devices in the system to receive the command. If executed on a slave device, the address must be (1), indicating the master device, or an ERROR response results. The command to be executed by the target device is given as the argument to the `sendcmd` command. The data type is string, with a limit of 127 characters in a quoted string argument, and 255 characters if the argument is supplied as a string variable reference (in macros only). Multiple commands can be combined into a semi-colon delimited list for efficient execution.

This command is intended for use within macros, and the command which is sent executes silently on the target device with no response returned to the sender. For this reason it makes sense to use it to send only action and update commands to the target device, not queries. When used in a macro, the argument may be a *string variable* reference containing the command(s) to be remotely executed. This can be convenient for "dynamically" building the command (or semi-colon delimited list of commands) using the format operator, string concatenation and other features of the macro language. Another advantage is that string variables can contain up to 255 characters. `sendcmd` may also be sent over a communications port by an external controller, but in this case the argument *must* be a quoted string..

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `sendcmd` command to read or write a string that already contains double-quote characters, for example: The "Hula" Room. The solution is to **escape** the double quotes within The "Hula" Room so that it can be passed as a string argument for the `macroti` command. This is done by preceding the double-quote characters with a **backslash** character like this: The \"Hula\" Room. Now it can be passed as a string argument to the `macroti` command: `macroti(1,1)=\"The \"Hula\" Room\"`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so `foo\bar` would become `foo\\bar`. If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form `\xHH` where HH is any 2-digit hexadecimal number. The special escaped character forms `\r` (carriage return), `\n` (new line) and `\t` (tab) are also recognized.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>sendcmd(1)=\"run(3)\r\"<CR></code> (slave to master, quoted string)	OK<CRLF>

	argument)	
UPDATE	<code>sendcmd(1)="@foo@=5;@bar@=0;run(3)\r"<CR></code> (slave to master, list of commands in quoted string argument)	OK<CRLF>
UPDATE	<code>sendcmd(3)="recall(5)\r"<CR></code> (master to slave at relative address 3, quoted string argument)	OK<CRLF>
UPDATE	<code>sendcmd(*)="recall(5)\r"<CR></code> (master to all slaves, quoted string argument)	OK<CRLF>
UPDATE	<code>sendcmd(*)=@cmd1@<CR></code> (master to all slaves, variable argument , works <i>only</i> in a macro)	OK<CRLF>

sendstr (send string to port)

This command may be used as an update to send an arbitrary ASCII string to either the RS232 port or one of the TCP ports of an ASPEN device. The port, and optionally, the target ASPEN device, are specified by using the address syntax. The port address may be one of the following:

- **1** - RS232 port
- **2** - TCP port 1
- **3** - TCP port 2 (*firmware versions 1.4.0 and higher*)

The optional ASPEN address may be used to specify that the string be sent from some other device in a multi-unit system rather than locally. This allows system-wide access to a communications port located on some particular device. It is a relative address, in the range 1 to N where N is the number of ASPEN devices in the system reported by the [aspencnt](#) command. It may not be wildcarded. If `sendstr` is run on the master device in a multi-unit system any slave device may be specified, but if run on a slave device *only* the master device may be specified at address (**1**). The ASCII characters to be sent are given as the argument to the `sendstr` command. The data type is string, with a limit of 127 characters in a quoted string argument, and 255 characters if the argument is supplied as a string variable reference (in macros only).

This command is intended for use within macros and is useful for sending strings to 3rd party equipment attached to the RS232 or TCP ports for control or notification purposes. It may also be sent over a communications port by an external controller, but in this case the argument *must* be a quoted string..

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `sendstr` command to read or write a string that already contains double-quote characters, for example: The "Hula" Room. The solution is to **escape** the double quotes within The "Hula" Room so that it can be passed as a string argument for the `macroti` command. This is done by preceding the double-quote characters with a **backslash** character like this: The \"Hula\" Room. Now it can be passed as a string argument to the `macroti` command: `macroti(1,1)=\"The \"Hula\" Room\"`. Since the

backslash serves as the escape character in quoted-string arguments, it too must be escaped if it is part of the string, so "foo\bar" would become "foo\\bar". If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form \xHH where HH is any 2-digit hexadecimal number. The special escaped character forms \r (carriage return), \n (new line) and \t (tab) are also recognized.

Examples:

	REQUEST	RESPONSE
UPDATE	<code>sendstr(1)="FI22;"<CR></code> (local RS232 port, quoted string argument)	OK<CRLF>
UPDATE	<code>sendstr(2,3)="FI22;"<CR></code> (master to slave at relative address 3, slave's TCP port 1, quoted string argument)	OK<CRLF>
UPDATE	<code>sendstr(1,1)=@temp@</code> (slave to master, master's RS232 port, variable argument, works <i>only</i> in a macro)	OK<CRLF>

sleep (suspend Macro execution)

This command is available in firmware versions 1.4.4 and higher.

This command may be used within a **macro** to suspend execution of the macro for a specified period of time. The time is expressed in milliseconds and is specified using the address syntax. The sleep time value is rounded off to a multiple of the effective minimum sleep time of approximately 250 msec.

Note: this command is effective only in *locally executed* macros. If it is contained in a list of semi-colon delimited commands sent to a remote unit using [sendcmd](#), it will behave like [exit](#) and terminate execution. If sent over a communications port from an external controller, execution of macros in the device will be delayed until the sleep time has passed.

Example:

	REQUEST	RESPONSE
COMMAND	<code>sleep(500)<CR></code>	OK<CRLF>

SPNTrio Preset Management Commands

actpre	Active preset number
default	Set a memory preset to factory defaults
defpre	Location of the memory preset recalled on powerup
predesc	Preset description
premsk	Default preset mask
preror	Preset "Run on Recall" Macro
recall	Recall a memory preset
store	Store settings to a memory preset location

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

actpre (active preset)

This command may be used as a query to determine which memory preset is active (that is to say, which preset was last recalled from memory). It may also be used as an update to set the active preset by recalling the specified preset. The data is an integer type in the range 1 to 24.

Examples:

	REQUEST	RESPONSE
QUERY	<code>actpre?<CR></code>	<code>OK 12<CRLF></code>
UPDATE	<code>actpre=4<CR></code>	<code>OK<CRLF></code>

default (default settings)

This command may be used to restore a memory preset to the factory defaults. The preset location to be modified is specified by using the address syntax. Addresses must be in the range 1 to 24. No data is transferred.

Example:

	REQUEST	RESPONSE
COMMAND	<code>default (3) <CR></code>	<code>OK <CRLF></code>

defpre (default preset)

This command may be used as a query to determine the memory preset location used as the powerup default. It may also be used as an update to set the default preset. The data is an integer type in the range 0 to 24, where 0 has the special meaning "On powerup, the preset that was active when the unit was last powered down will be recalled". This provides a "memory" capability useful for some applications, and is called the **Last Preset** option.

Examples:

	REQUEST	RESPONSE
QUERY	<code>defpre? <CR></code>	<code>OK 11 <CRLF></code>
UPDATE	<code>defpre=2 <CR></code>	<code>OK <CRLF></code>

predesc (preset description)

This command may be used as a query to read the user defined preset description for the **active preset**. It may also be used as an update to set the description. The data is a string type, with a limit of 60 characters.

Note: String arguments in commands need to be passed in **quoted** form, contained in a pair of **double-quote** (") characters. A problem arises when using the `predesc` command to read or write a string that already contains double-quote characters, for example: The "Basic" setup. The solution is to **escape** the double quotes within The "Basic" setup so that it can be passed as a string argument for the `desc` command. This is done by preceding the double-quote characters with a **backslash** character like this: The \"Basic\" setup. Now it can be passed as a string argument to the `desc` command: `desc="The \"Basic\" setup"`. Since the **backslash** serves as the escape character in quoted-string arguments, it too must be escaped if it is part of

the string, so "foo\bar" would become "foo\\bar". If necessary, any character, printable or non-printable, can be represented in the hexadecimal escaped form \xHH where HH is any 2-digit hexadecimal number. The special escaped character forms \r (carriage return), \n (new line) and \t (tab) are also recognized.

Important: changes to this setting do not become permanent until the preset is [stored](#) to nonvolatile memory!

Examples:

	REQUEST	RESPONSE
QUERY	predesc?<CR>	OK "Wedding #1, no hallway speakers"<CRLF>
UPDATE	predesc="Weekly Rotary Club breakfast meeting."<CR>	OK<CRLF>

premsk (default preset mask)

This command may be used as a query to determine the default preset mask in effect for the **active preset**. It may also be used as an update to set the default mask. The preset mask is a number which determines whether or not certain mute and rear panel gain settings are preserved or overwritten when a preset recall occurs. The default mask is in effect unless overridden by the [recall](#) command. The data is an integer type formed by adding together one or more of the following values:

- **1** to preserve input channel rear panel gain settings
- **2** to preserve input channel mute settings
- **4** to preserve output channel rear panel gain settings
- **8** to preserve output channel mute settings
- **16** to preserve the state of programmable inputs
- **32** to preserve programmable input function definitions
- **64** to preserve matrix crosspoint rear panel gain settings
- **128** to preserve matrix crosspoint mute settings

For instance, to preserve input and output mutes on preset recalls, but not the rear panel gains, the mask value would be calculated as $2 + 8 = 10$. A value of 0 means that the preset recall is "hard", with all mutes and rear panel gains overwritten by the values contained in the newly active preset.

Examples:

	REQUEST	RESPONSE
QUERY	<code>premsk?<CR></code>	<code>OK 2<CRLF></code>
UPDATE	<code>premsk=5<CR></code>	<code>OK<CRLF></code>

preror (preset "run on recall" macro)

This command may be used as a query to determine the "run on recall" macro for the **active preset**. It may also be used as an update to set the macro. The data is an integer type in the range 0 to 256, where "0" has the special meaning "none".

Important: changes to this setting do not become permanent until the preset is [stored](#) to nonvolatile memory!

Examples:

	REQUEST	RESPONSE
QUERY	<code>preror?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>preror=5<CR></code>	<code>OK<CRLF></code>

recall (recall preset)

This command may be used to recall a memory preset, making it the active preset. The preset location to be recalled is specified by using the address syntax. Addresses must be in the range 1 to 24. If used as a simple command, no data is transferred, and the preset recall is controlled by the default preset mask. If used as an update, the data type is an integer whose value serves as the preset mask for the recall operation, overriding the default preset mask. See [premsk](#).

Example:

	REQUEST	RESPONSE
COMMAND	<code>recall(3)<CR></code>	<code>OK<CRLF></code>
UPDATE	<code>recall(4)=1<CR></code>	<code>OK<CRLF></code>

store (store settings to preset)

This command may be used to store current settings to a memory preset. The preset location to be updated is specified by using the address syntax. Addresses must be in the range 1 to 24. No data is transferred.

Example:

	REQUEST	RESPONSE
COMMAND	<code>store(3)<CR></code>	<code>OK<CRLF></code>

SPNTrio Signal Generator Commands

pnlv	Pink Noise level
swplv	Swept Sine level
swpen	Swept Sine sweep enable
swpset	Swept Sine generator settings
tonefrq	Test Tone frequency
tonelv	Test Tone level
wnlv	White Noise level

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

pnlv (pink noise level)

This command may be used as a query to read the Pink Noise generator output level, or as an update to set it. The data type is integer, in the range -70 to +20, representing the level in dBu.

Example:

	REQUEST	RESPONSE
QUERY	<code>pnlv?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>pnlv=-10<CR></code>	<code>OK<CRLF></code>

swpen (swept sine sweep enable)

This command may be used as a query to read the Swept Sine generator sweep enable status, or as an update to set it. The data type is integer, either "1" meaning that the sweep is enabled (started), or "0" meaning that it is not (stopped).

Example:

	REQUEST	RESPONSE
QUERY	<code>swpen?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>swpen=1<CR></code>	<code>OK<CRLF></code>

swplv (swept sine level)

This command may be used as a query to read the Swept Sine generator output level, or as an update to set it. The data type is integer, in the range -70 to +20, representing the level in dBu.

Example:

	REQUEST	RESPONSE
QUERY	<code>swplv?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>swplv=-10<CR></code>	<code>OK<CRLF></code>

swpset (swept sine generator settings)

This command may be used as a query to read the Swept Sine generator settings, or as an update to modify the settings. The data type is array of integer, with a fixed length of 4. The values contained in the array represent the settings, using the following scheme:

- The **first** integer is a code that specifies the **mode and wave shape** which specifies:
 - **Sweep mode** - Whether the generator is to sweep the sine wave frequency continuously after starting, or just once (single sweep).
 - **Sweep shape** - Whether the sweep proceeds **up** in frequency from start frequency to stop frequency and then **down** in frequency from there back to the start frequency (triangle) **or** proceeds **up** in frequency from start frequency to stop frequency, then reverts back to the start frequency and sweeps up again. (sawtooth).
 - **Sweep rate** - Whether the frequency is swept in time at a linear rate (constant number of Hz per second), or a logarithmic rate (constant number of octaves per second).

The code may be in the range 0 to 7, with the following meanings:

Code	Function	Code	Function
0	Single sweep, sawtooth, linear	4	Single sweep, sawtooth, logarithmic
1	Continuous sweep, sawtooth, linear	5	Continuous sweep, sawtooth, logarithmic
2	Single sweep, triangle, linear	6	Single sweep, triangle, logarithmic
3	Continuous sweep, triangle, linear	7	Continuous sweep, triangle, logarithmic

- The **second** integer specifies the start frequency of the sweep. It may be in the range 20 to 20000, and represents frequency in Hz.
- The **third** integer specifies the stop frequency of the sweep. It may be in the range 20 to 20000, and represents frequency in Hz.
- The **fourth** integer specifies the sweep time. It may be in the range 10 to 600, and represents time in 1/10 second increments.

Examples:

	REQUEST	RESPONSE
QUERY	<code>swpset?<CR></code>	<code>OK {4,20,10000,100}<CRLF></code>
UPDATE	<code>swpset={5,20,10000,100}<CR></code>	<code>OK<CRLF></code>

tonefrq (test tone frequency)

This command may be used as a query to read the Test Tone generator output frequency, or as an update to set it. The data type is integer, in the range 20 to 20000, representing the frequency in Hz.

Example:

	REQUEST	RESPONSE
QUERY	<code>tonefrq?<CR></code>	<code>OK 440<CRLF></code>
UPDATE	<code>tonefrq=1000<CR></code>	<code>OK<CRLF></code>

tonelv (test tone level)

This command may be used as a query to read the Test Tone generator output level, or as an update to set it. The data type is integer, in the range -70 to +20, representing the level in dBu.

Example:

	REQUEST	RESPONSE
QUERY	<code>tonelv?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>tonelv=-10<CR></code>	<code>OK<CRLF></code>

wnlv (white noise level)

This command may be used as a query to read the White Noise generator output level, or as an update to set it. The data type is integer, in the range -70 to +20, representing the level in dBu.

Example:

	REQUEST	RESPONSE
QUERY	<code>wnlv?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>wnlv=-10<CR></code>	<code>OK<CRLF></code>

SPNTrio Real Time Clock, Timer & Alarm Commands

alarm	Alarm definition
alarmen	Alarm enable
date	Date settings
time	Time settings
timer	Timer definition
timeren	Timer enable

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

alarm (alarm definition)

This command may be used as a query to read an alarm definition, or as an update to set it. The alarm is specified by using the address syntax. Addresses must be in the range 1 to 4. The data type is array of integer, with a fixed length of 6. The values contained in the array represent the settings, using the following scheme:

- The **first** integer is formed by adding together one or more of the following values:
 - **1** - Sunday
 - **2** - Monday
 - **4** - Tuesday
 - **8** - Wednesday
 - **16** - Thursday
 - **32** - Friday
 - **64** - Saturday

For example, to set the alarm to expire on Tuesday and Thursday of each week, the value is **20** (4 + 16).

- The **second** integer specifies the hour of the day at which the alarm expires in 24 hour format. It may be in the range 0 to 23.
- The **third** integer specifies the minute of the hour at which the alarm expires. It may be in the range 0 to 59.
- The **fourth** integer specifies the macro which will be run when the alarm expires. It may be in the range 1 to 256.
- The **fifth** integer specifies whether or not the alarm is repeating. It may be either "1" meaning that the alarm will be re-enabled (re-armed) after it expires, or "0" meaning that it will not.
- The **sixth** integer specifies the enable status of the alarm. It may be either "1" meaning that it is enabled (armed) or "0" meaning that it is not.

Examples:

	REQUEST	RESPONSE
QUERY	<code>alarm(2)?<CR></code>	<code>OK {1,8,30,20,1,1}<CRLF></code>
UPDATE	<code>alarm(2)={1,8,30,20,1,1}<CR></code>	<code>OK<CRLF></code>

alarmen (alarm enable)

This command may be used as a query to read the alarm enable status, or as an update to set it. The data type is integer, either "1" meaning that the alarm is enabled (armed), or "0" meaning that it is not.

Examples:

	REQUEST	RESPONSE
QUERY	<code>alarmen(1)?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>alarmen(2)=1<CR></code>	<code>OK<CRLF></code>

date (date settings)

This command may be used as a query to read the date settings, or as an update to modify the settings. The data type is array of integer, with a fixed length of 4. The values contained in the array represent the settings, using the following scheme:

- The **first** integer specifies the year of the century. It may be in the range 0 to 99.
- The **second** integer specifies the month of the year. It may be in the range 1 to 12.
- The **third** integer specifies the date of the month. It may be in the range 1 to 31.
- The **fourth** integer specifies the day of the week. It may be in the range 1 to 7.

Examples:

	REQUEST	RESPONSE
QUERY	date?<CR>	OK {9,8,7,5}<CRLF>
UPDATE	date={9,8,7,5}<CR>	OK<CRLF>

time (time settings)

This command may be used as a query to read the time settings, or as an update to modify the settings. The data type is array of integer, with a fixed length of 4. The values contained in the array represent the settings, using the following scheme:

- The **first** integer specifies the hour, in 24 hour format. It may be in the range 0 to 23.
- The **second** integer specifies the minute. It may be in the range 0 to 59.
- The **third** integer specifies the second. It may be in the range 0 to 59.

Examples:

	REQUEST	RESPONSE
QUERY	time?<CR>	OK {14,20,32}<CRLF>
UPDATE	time={20,5,0}<CR>	OK<CRLF>

timer (timer settings)

This command may be used as a query to read a timer definition, or as an update to set it. The timer is specified by using the address syntax. Addresses must be in the range 1 to 4. The data type is array of integer, with a fixed length of 6. The values contained in the array represent the settings, using the following scheme:

- The **first** integer specifies the number of hours in the timer period in 24 hour format. It may be in the range 0 to 23.
- The **second** integer specifies the number of minutes in the timer period. It may be in the range 0 to 59.

- The **third** integer specifies the number of seconds in the timer period. It may be in the range 0 to 59.
- The **fourth** integer specifies the macro which will be run when the timer expires. It may be in the range 1 to 256.
- The **fifth** integer specifies whether or not the timer is repeating. It may be either "1" meaning that the timer will be re-enabled (re-armed) after it expires, or "0" meaning that it will not.
- The **sixth** integer specifies the enable status of the timer. It may be either "1" meaning that it is enabled (armed) or "0" meaning that it is not.

The maximum timer period is 23hr:59m:59s, the minimum period is 1 second.

Example:

	REQUEST	RESPONSE
QUERY	<code>timer(3)?<CR></code>	<code>OK {0,30,0,120,0,1}<CRLF></code>
UPDATE	<code>timer(3)={0,30,0,120,0,1}<CR></code>	<code>OK<CRLF></code>

timeren (timer enable)

This command may be used as a query to read the timer enable status, or as an update to set it. The data type is integer, either "1" meaning that the timer is enabled (armed), or "0" meaning that it is not.

Example:

	REQUEST	RESPONSE
QUERY	<code>timeren(3)?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>timeren(3)=1<CR></code>	<code>OK<CRLF></code>

SPNTrio Event Commands

eventmac	Event macro
eventen	Event enable status

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

eventmac (event macro)

This command may be used as a query to read an Event channel macro number, or as an update to set the macro number. The event channel is specified by using the address syntax. Addresses must be in the range 1 to 7, and specify of of the following events:

- **1** - Rear Panel input gain change
- **2** - Rear Panel input mute control change
- **3** - Rear Panel output gain change
- **4** - Rear Panel output mute change
- **5** - Rear Panel crosspoint gain change
- **6** - Rear Panel crosspoint mute change
- **7** - Telephone Ringing
- **8** - Telephone Connect (off-hook)
- **9** - Telephone Disconnect (on-hook)
- **10** - Telephone Privacy on
- **11** - Telephone Privacy off
- **12** - Codec 1 Connect
- **13** - Codec 1 Disconnect
- **14** - Codec 1 Privacy on
- **15** - Codec 1 Privacy off
- **16** - Codec 2 Connect
- **17** - Codec 2 Disconnect

- **18** - Codec 2 Privacy on
- **19** - Codec 2 Privacy off
- **20** - Power Amp fault alert
- **21** - Temperature/Fan status alert
- **22** - Input channel activity change (*firmware versions 1.4.0 and higher*)

The data type is integer, in the range 1 to 256, representing the number of the macro to be run if the event is raised.

Examples:

	REQUEST	RESPONSE
QUERY	<code>eventmac(1)?<CR></code>	<code>OK 25<CRLF></code>
UPDATE	<code>eventmac(5)=20<CR></code>	<code>OK<CRLF></code>

eventen (event enable status)

This command may be used as a query to read an Event channel enable status, or as an update to set the status. The event channel is specified by using the address syntax. Addresses must be in the range 1 to 7, and specify of of the following events:

- **1** - Rear Panel input gain change
- **2** - Rear Panel input mute control change
- **3** - Rear Panel output gain change
- **4** - Rear Panel output mute change
- **5** - Rear Panel crosspoint gain change
- **6** - Rear Panel crosspoint mute change
- **7** - Telephone ringing
- **8** - Telephone Connect (off-hook)
- **9** - Telephone Disconnect (on-hook)
- **10** - Telephone Privacy on
- **11** - Telephone Privacy off
- **12** - Codec 1 Connect
- **13** - Codec 1 Disconnect
- **14** - Codec 1 Privacy on
- **15** - Codec 1 Privacy off
- **16** - Codec 2 Connect
- **17** - Codec 2 Disconnect
- **18** - Codec 2 Privacy on
- **19** - Codec 2 Privacy off
- **20** - Power Amp fault alert
- **21** - Temperature/Fan status alert
- **22** - Input channel activity change (*firmware versions 1.4.0 and higher*)

The data type is integer, either "1" meaning that the event channel is enabled, or "0" meaning that it is disabled.

Examples:

	REQUEST	RESPONSE
QUERY	<code>eventen(3)?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>eventen(2)=1<CR></code>	<code>OK<CRLF></code>

SPNTrio Network Setup Commands

defgate	Default gateway
dhcpen	DHCP enable
httpport	HTTP port number
ipaddr	IP address
macaddr	MAC address
netmask	Network mask
tcpport	TCP port number

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK ingn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

defgate (default gateway)

This command may be used as a query to read the Default Gateway address, or as an update to set it. The data type is string, containing the address in IP "dotted quad" format.

Example:

	REQUEST	RESPONSE
QUERY	<code>defgate?<CR></code>	<code>OK "172.16.4.1"<CRLF></code>
UPDATE	<code>defgate="172.16.4.1"<CR></code>	<code>OK<CRLF></code>

dhcpen (DHCP enable)

This command may be used as a query to read the DHCP enable status, or as an update to set it. The data type is integer, either "1" meaning that the DHCP client feature is enabled, or "0" meaning that it is not. If enabled, DHCP (Dynamic Host Configuration Protocol) is used at power up to obtain an IP address. **Note:** If this setting is changed, the new value takes effect the next time the device is powered up.

Example:

	REQUEST	RESPONSE
QUERY	<code>dhcpen?<CR></code>	<code>OK 0<CRLF></code>
UPDATE	<code>dhcpen=1<CR></code>	<code>OK<CRLF></code>

httpport (HTTP port number)

This command may be used as a query to read the HTTP port number assignment, or as an update to set it. The data type is integer, in the range 0 to 65535, representing the port number used for HTTP connections to the device. The default value is 80.

Example:

	REQUEST	RESPONSE
QUERY	<code>httpport?<CR></code>	<code>OK 80<CRLF></code>
UPDATE	<code>httpport=80<CR></code>	<code>OK<CRLF></code>

ipaddr (IP address)

This command may be used as a query to read the IP address of the device, or as an update to set it. The data type is string, containing the address in IP "dotted quad" format.

Example:

	REQUEST	RESPONSE
QUERY	<code>ipaddr?<CR></code>	<code>OK "172.16.4.151"<CRLF></code>
UPDATE	<code>ipaddr="172.16.4.151"<CR></code>	<code>OK<CRLF></code>

macaddr (MAC address)

This command may be used as a query to read the ethernet MAC address of the device. The data type is string, containing the address in IEEE MAC-48 format.

Example:

	REQUEST	RESPONSE
QUERY	<code>macaddr?<CR></code>	<code>OK "00-24-34-32-00-22"<CRLF></code>

netmask (network mask)

This command may be used as a query to read the Network Mask, or as an update to set it. The data type is string, containing the mask in IP "dotted quad" format.

Example:

	REQUEST	RESPONSE
QUERY	<code>netmask?<CR></code>	<code>OK "255.255.255.0"<CRLF></code>
UPDATE	<code>netmask="255.255.255.0"<CR></code>	<code>OK<CRLF></code>

tcpport (TCP port number)

This command may be used as a query to read the TCP port number assignment, or as an update to set it. The data type is integer, in the range 0 to 65535, representing the port number used for TCP connections to the device. The default value is 4080.

Example:

	REQUEST	RESPONSE
QUERY	<code>tcpport?<CR></code>	<code>OK 4080<CRLF></code>
UPDATE	<code>tcpport=4080<CR></code>	<code>OK<CRLF></code>

SPNTrío ASPEN System Commands

aspen	ASPEN device query
aspenaddr	ASPEN default address
aspenCnt	ASPEN device count
aspenum	ASPEN device enumerate

Termination: all commands are terminated with an ASCII **carriage return** character (hex code 0x0D), represented by <CR> in the examples below. All responses are terminated with an ASCII **carriage return, line feed** pair (hex codes 0x0D, 0x0A), represented by <CRLF> in the examples below. An ellipsis (...) represents members of an array that have been omitted from an example for the sake of brevity.

Verbose response: commands prefixed with an exclamation point (bang) character result in a "verbose" response containing both the name of the property being addressed and its current value (if any). The verbose response returns the property/value pair in the "assignment" form, for example `OK !ngn(2)=40 <CRLF>`. This supports certain 3rd party control programming styles where the response needs to be self-describing.

aspen (ASPEN device query)

This command may be used as a query to read the id string and serial number of a device enumerated in an ASPEN system. This command is recognized only by the master unit in a multi-unit system. A relative ASPEN address is specified by using the address syntax. Addresses must be in the range 1 to N where N is the count of devices in the system discovered with the [aspenCnt](#) command. The data type is string, and contains the serial number and device id joined by a colon (:) character.

Example:

	REQUEST	RESPONSE
QUERY	<code>aspen(2)?<CR></code>	<code>OK "5000101:SPN1624"<CRLF></code>

aspenaddr (ASPEN default address)

This command may be used as a query to read the ASPEN default address, or as an update to set it. This command is recognized only by the master unit in a multi-unit system, and sets the default address for communication over a particular port (RS232, USB or TCP). The data type is string, and contains the serial number of the device to be the default command target. Once set, commands sent without an ASPEN address specified are routed to this default address. This command is used to designate a particular slave unit in the system as the default command target, rather than the master unit. This can be convenient for 3rd party control programs. To reset the default address back to that of the master unit, this command is sent with an empty address ("").

Examples:

	REQUEST	RESPONSE
QUERY	<code>aspenaddr?<CR></code>	<code>OK "5000150";CRLF></code>
UPDATE	<code>aspenaddr="5000125"<CR></code>	<code>OK<CRLF></code>

aspenct (ASPEN device count)

This command may be used as a query to read the count of ASPEN, devices in a system. This count is the result of the ASPEN system enumeration process, and can be used together with the [aspen](#) command to discover the identities of the devices in the system. The data type is integer.

Examples:

	REQUEST	RESPONSE
QUERY	<code>aspenct?<CR></code>	<code>OK 3<CRLF></code>

aspenum (ASPEN device enumerate)

This command may be used force an enumeration of the devices present in an ASPEN system. This command is recognized only by the master unit in a multi-unit system. Normally, the master device conducts an enumeration of the aspen devices in the system immediately after powerup, and every 5 minutes or so afterwards, but this command makes it possible to force an enumeration at any time. The enumeration process requires a minute or two to complete, after which time the results can be discovered by using the [aspenct](#) and [aspen](#) commands.

Examples:

	REQUEST	RESPONSE
--	---------	----------

COMMAND	aspenum<CR>	OK<CRLF>
---------	-------------	----------